

Eaton 170M1373

Catalog Number: 170M1373

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 350A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X Din 43-620 blade end, Class aR, DIN 43 620



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M1373
	Model Code
	FUSE 350A 690V 000/80 AR
UPC	EAN
051712309561	5027590440905
Product Length/Depth	Product Height
105 mm	46 mm
Product Width	Product Weight
300 mm	141 g
Warranty	Compliances
Not Applicable	Contact factory
	RoHS Compliant

Product specifications

Type

Fuse

Application

semiconductor protection

Amperage Rating

350 A

Breaking capacity

200 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

000

Rated voltage AC

690 V

Center-to-center distance of connections

76.7 mm

Current type

AC

Mounting dimension

M8

Class

Class aR

Watt losses

56 W

Fuse shape

Square body, slotted offset bolted tags

Color

None

Interrupt rating

Resources

Catalogs

[eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

[170M1373~Eaton Bussmann series high speed square body fuse](#)

200 kAIC

Connection

Blade end x Din 43-620 blade end

Construction size

000

Mounting method

DIN 43 620

Packaging type

Standard

Voltage rating

690 V

Fuse type

Bolted tag

DIN 43653

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia