

Part Number : 11185077 Product Description : Conductor Punch

Series Number: 207126 Status: Active

Product Category: Applicators and Crimp Engineering Number: 60816A106

Modules

Documents & Resources

Tooling Specifications

Application Tooling Specification ATS-STANDARD-PARTS-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|---|
| China RoHS | Not Relevant |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Relevant |
| REACH SVHC | Not Contained per D(2020)9139-DC (19 Jan 2021) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|------------|--------|
| 2 33: 33:2 | |

| Category | Applicators and Crimp Modules |
|--------------------------------|---|
| Series | 207126 |
| Description | Conductor Punch |
| Comments | See Tooling Specification (PDF) Above |
| Function | Cutter |
| Geographic Area | Global |
| Level of Automation | Semi-Automatic |
| More Detailed Tech Information | toolingsupport@molex.com |
| Product Family | Application Tooling |
| Product Name | N/A |
| Tool Type | Applicator |
| UPC | 800753902350 |
| Warranty Disclaimer | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Physical

| Net Weight | 23.890/g |
|------------|----------|
|------------|----------|

Use with Part(s)

| Description | Part Number |
|--|---|
| Mini-Mac Applicator - DOUBLES | /content/molex/molex-dot- com/us/en/products/product- page.html/11182191.html |
| Mini-Mac Applicator - NARROW INSULATION & DOUBLES | /content/molex/molex-dot- com/us/en/products/product- page.html/11182193.html |

| Mini-Mac Applicator - OVERLAP INSULATION | /content/molex/molex-dot- com/us/en/products/product- page.html/11182194.html |
|---|--|
| Mini-Mac Applicator, Double 18 AWG Wires, One Wire Max Insulation 4.32mm and One Max Insulation 2.79mm | /content/molex/molex-dot- com/us/en/products/product- page.html/638933000.html |
| Mini-Mac Applicator, Insulation | /content/molex/molex-dot- |
| O.D. 2.36-4.57mm and 18 AWG | com/us/en/products/product- |
| SPT-3 Wires | page.html/638933100.html |
| Mini-Mac Applicator, Double 18 | /content/molex/molex-dot- |
| AWG, Two Wire with Insulation | com/us/en/products/product- |
| Diameter of 2.36-3.56mm | page.html/638933200.html |
| Mini-Mac Applicator, Insulation | /content/molex/molex-dot- |
| O.D. 2.36-3.56mm and 18 AWG | com/us/en/products/product- |
| SPT-3 Wires | page.html/638933300.html |

This document was generated on Aug 20, 2024