

Part Number: 190060016 Product Description: Avikrimp Quick

Product Description: Avikrimp Quick Disconnect, Female Flag, for 14-16 AWG (2.00-

1.30mm²) Wire, Tab 4.75 x 0.51mm, Blue,

Mylar Tape **Status :** Active

**Engineering Number : BB-5224T** 

Series Number: 19006

**Product Category:** Quick Disconnects

#### **Documents & Resources**

#### **Drawings**

Drawing 190060016\_sd.pdf

#### 3D Models and Design Files

3D Model 190060016\_stp.zip

#### **Specifications**

Product Specification PS-19902-011-001.pdf Product Specification PS-19902-014-001.pdf Product Specification PS-19902-015-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

## **Part Details**

### General

Status	Active
Category	Quick Disconnects
Series	19006
Description	Avikrimp Quick Disconnect, Female Flag, for 14-16 AWG (2.00-1.30mm²) Wire, Tab 4.75 x 0.51mm, Blue, Mylar Tape
Product Family	Standard Quick-Disconnect Terminals
Product Name	Avikrimp
Туре	Quick Disconnect
UPC	800753031142

## Agency

CSA	LR18689
UL	E79133

### **Electrical**

Voltage - Maximum	600V
1 3 1 3 6 3 1 1 3 1 1 1 3 1 1 1	

## Physical

Barrel Type	Closed
Color - Resin	Blue
Flammability	94V-2
Gender	Female
Glow-Wire Capable	Yes
Insulated	Fully
Insulation	Nylon (PA)
Lock to Mating Part	None
Material - Metal	Brass

Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	Nylon
Net Weight	1.190/g
Orientation	Flag
Packaging Type	Adhesive Tape on Reel
Polarized to Mating Part	No
Tab Thickness	0.51mm
Tab Width	4.75mm
Temperature Range - Operating	-65° to +105°C
Wire Insulation Diameter	4.32mm max.
Wire Size (AWG)	14, 16
Wire Size mm <sup>2</sup>	1.30-2.00

# **Application Tooling**

## Global

Description	Part Number
ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	<u>192880160</u>

This document was generated on Aug 20, 2024