

Part Number: 190220010 Product Description: Krimptite Quick

Product Description: Krimptite Quick Disconnect, Male, for 18-22 (0.80-0.35mm²)

Wire, Mylar Tape, Tab 6.35 x 0.81mm

Status: Active

Product Category : Quick Disconnects Engineering Number : AMCT-1T

Documents & Resources

Series Number: 19022

Drawings

Drawing 190220010_sd.pdf

3D Models and Design Files3D Model 190220010_stp.zip

Specifications

Product Specification PS-19902-005-001.pdf Product Specification PS-19902-011-001.pdf Product Specification PS-19902-015-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | © |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|--|
| Category | Quick Disconnects |
| Series | 19022 |
| Description | Krimptite Quick Disconnect, Male, for 18-22 (0.80-0.35mm²) Wire, Mylar Tape, Tab 6.35 x 0.81mm |
| Comments | Economical |
| Product Family | Standard Quick-Disconnect Terminals |
| Product Name | Krimptite |
| Туре | Quick Disconnect |
| UPC | 800753039544 |

Agency

| CSA | LR18689 |
|-----|---------|
| UL | E32244 |

Electrical

| Voltage - Maximum | Per Wire Specification |
|-------------------|------------------------|
|-------------------|------------------------|

Physical

| Barrel Type | Closed |
|--------------------------------|---------------|
| Gender | Male |
| Glow-Wire Capable | No |
| Insulated | No |
| Insulation | None |
| Lock to Mating Part | None |
| Material - Metal | Brass |
| Material - Plating Mating | Zinc Chromate |
| Material - Plating Termination | Zinc Chromate |

| Net Weight | 1.223/g |
|-------------------------------|------------------------|
| Orientation | Straight |
| Packaging Type | Adhesive Tape on Reel |
| Polarized to Mating Part | No |
| Tab Thickness | 0.81mm |
| Tab Width | 6.35mm |
| Temperature Range - Operating | Per Wire Specification |
| Wire Size (AWG) | 18, 20, 22 |

Solder Process Data

| Lead-Free Process Capability | N/A |
|------------------------------|--------|
| Lead Tree Treess capability | 1.07.3 |

Application Tooling

Global

| Description | Part Number |
|---|-------------|
| ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press | 190270026 |
| Mini-Mac Applicator | 638854500 |

This document was generated on Aug 20, 2024