

**Product Description :** InsulKrimp Ring Tongue Terminal for 18-22 AWG Heavy Duty Wire, Part Number: 190540039

Vinyl, Stud Size 10 (M5)

Series Number: 19054 Status: Active

Product Category: Ring and Spade Terminals Engineering Number: A-221-10X

#### **Documents & Resources**

#### **Drawings**

Drawing 190540039\_sd.pdf

3D Models and Design Files 3D Model 190540039\_stp.zip

#### **Specifications**

Product Specification PS-19902-009-001.pdf Product Specification PS-19902-011-001.pdf Product Specification PS-19902-013-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

# **Part Details**

## General

Status	Active
Category	Ring and Spade Terminals
Series	19054
Description	InsulKrimp Ring Tongue Terminal for 18-22 AWG Heavy Duty Wire, Vinyl, Stud Size 10 (M5)
Comments	Heavy Duty
Keyword	Ring Terminal, Ring Terminals
Product Family	Solderless Terminals
Product Name	InsulKrimp
Туре	Ring
UPC	800753053908

# Agency

CSA	LR18689
UL	E32244

# Physical

Barrel Type	Closed
Color - Resin	Red
Flammability	94V-0
Insulation	PVC
Material - Metal	Copper
Material - Plating Mating	Tin
Net Weight	0.769/g
Packaging Type	Carton
Stud Size	10 (M5)
Temperature Range - Operating	105°C
Termination Interface Style	Crimp or Compression

Wire Insulation Diameter	3.68mm max.
Wire Size (AWG)	18, 20, 22
Wire Size mm²	0.25-1.50

## **Solder Process Data**

Lead-Free Process Capability	N/A
------------------------------	-----

# **Application Tooling**

## Global

Description	Part Number
PremiumGrade Hand Crimp Tool for Avikrimp and Insulkrimp Terminals and Splices, 10-22 AWG and 6.0-0.5mm <sup>2</sup> (Rings, Spades, Hooks, Block Spades and Flanged Spades)	<u>640010100</u>
Crimp Head for the AT-200 Pneumatic Hand Tool	640050100
ServiceGrade Hand Crimp Tool for Field Repair only, for production use our PremiumGrade Tool	640160036

This document was generated on Aug 20, 2024