

**Product Description :** Perma-Seal Male Snap Plug for 18-22 AWG Wire, Diameter 3.96mm, Part Number: 191640010

Carton

Series Number: 19164 Status: Active

**Product Category:** Quick Disconnects **Engineering Number: SA-269** 

#### **Documents & Resources**

#### **Drawings**

Drawing 191640010\_sd.pdf

3D Models and Design Files 3D Model 191640010\_stp.zip

#### **Specifications**

Product Specification PS-19902-011-001.pdf Product Specification PS-19902-013-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

# **Part Details**

## General

Status	Active
Category	Quick Disconnects
Series	19164
Description	Perma-Seal Male Snap Plug for 18- 22 AWG Wire, Diameter 3.96mm, Carton
Product Family	Snap Plugs and Receptacles
Product Name	Perma-Seal
Туре	Snap Plug
UPC	800753112988

# Agency

CSA	LR18689
UL	E152602

## Electrical

Voltage - Maximum	600V
-------------------	------

# Physical

Barrel Type	Closed
Color - Resin	Red
Gender	Male
Glow-Wire Capable	No
Insulated	Partial
Insulation	NiAc
Lock to Mating Part	None
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	1.315/g

Orientation	Straight
Packaging Type	Carton
Tab Thickness	N/A
Tab Width	N/A
Temperature Range - Operating	-55° to +125°C
Wire Insulation Diameter	5.97mm max.
Wire Size (AWG)	18, 20, 22

# **Application Tooling**

## Global

Description	Part Number
PremiumGrade Hand Crimp Tool for Insulkrimp Terminals and Splices, 10-22 AWG (Rings, Spades, Hooks, Block Spades and Flanged Spades)	<u>640010300</u>
Crimp Head for the AT-200 Pneumatic Hand Tool	640050300

This document was generated on Aug 20, 2024