

**Product Description :** Funnel Entry Butt Splice for 18-22 AWG Wire, Tape and Reel Part Number: 192020012

Status: Active

**Engineering Number: AS-932-DKT** 

### **Documents & Resources**

**Product Category: Splices** 

Series Number: 19202

#### **Drawings**

Drawing 192020012\_sd.pdf

#### **Specifications**

Product Specification PS-19902-011-001.pdf Product Specification PS-19902-015-001.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **EU RoHS Certificate of Compliance**

## **Part Details**

### General

Status	Active
Category	Splices
Series	19202
Description	Funnel Entry Butt Splice for 18-22 AWG Wire, Tape and Reel
Product Family	Splices
Product Name	Butt - Funnel Entry
UPC	800753047372

# Agency

UL LJZZ++
-----------

# Physical

Barrel Type	Closed
Color - Resin	Red
Flammability	94V-2
Insulation	Nylon (PA)
Material - Metal	Copper
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.975/g
Packaging Type	Adhesive Tape on Reel
Wire Insulation Diameter	3.73mm max. Funnel End, 4.08mm max.
Wire Size (AWG)	18, 20, 22

# **Application Tooling**

## Global

Description	Part Number
ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	<u>192880020</u>
Mini-Mac Applicator	<u>638856100</u>

This document was generated on Aug 20, 2024