



Part Number : 192030469

Series Number : 19203

Product Category : Quick Disconnects

Product Description : Krimptite Quick Disconnect, Female, Steel, 483°C (900° F), 14-16 AWG, Tab 6.35mm, Tape and Reel

Status : Active

Engineering Number : 0192030469

Documents & Resources

Drawings


Drawing 192030469\_sd.pdf

Specifications

Product Specification PS-19902-011-001.pdf  
Product Specification PS-19902-015-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Quick Disconnects
Series	19203
Description	Krimptite Quick Disconnect, Female, Steel, 483°C (900° F), 14-16 AWG, Tab 6.35mm, Tape and Reel
Product Family	Standard Quick-Disconnect Terminals
Product Name	Krimptite
Type	Quick Disconnect
UPC	822350380317

### Electrical

Voltage - Maximum	N/A
-------------------	-----

### Physical

Barrel Type	Closed
Gender	Female
Glow-Wire Capable	No
Insulated	No
Insulation	None
Lock to Mating Part	None
Material - Metal	Steel
Material - Plating Mating	Nickel
Material - Plating Termination	Nickel
Net Weight	0.601/g
Orientation	Straight
Packaging Type	Embossed Tape on Reel
Tab Thickness	0.80mm
Tab Width	7.70mm
Temperature Range - Operating	483°C
Wire Size (AWG)	14, 16

---

Application Tooling

Global

Description	Part Number
ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	<u>190270071</u>