

Product Description : VersaKrimp Butt Splice for 10-12 AWG Wire Part Number: 192150028

Status: Active

Engineering Number: CS-346

Documents & Resources

Product Category: Splices

Series Number: 19215

Drawings

Drawing 192150028_sd.pdf

Specifications

Product Specification PS-19902-011-001.pdf Product Specification PS-19902-013-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Compliant with Exemption 44 |
|--------------------|----------------------------------------------------|
| China RoHS | © |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|----------------------------------------------|
| Category | Splices |
| Series | 19215 |
| Description | VersaKrimp Butt Splice for 10-12 AWG Wire |
| Product Family | Splices |
| Product Name | Butt,VersaKrimp |
| UPC | 800755062533 |

Agency

| CSA | LR18689 |
|-----|---------|
| UL | E32244 |

Physical

| Barrel Type | Closed - Brazed |
|--------------------------------|-----------------|
| Insulation | None |
| Material - Metal | Copper |
| Material - Plating Mating | Tin |
| Material - Plating Termination | Tin |
| Net Weight | 2.475/g |
| Packaging Type | Bag |
| Temperature Range - Operating | 149°C |
| Wire Size (AWG) | 10, 12 |
| Wire Size mm² | 3.30-5.00 |

Solder Process Data

| Lead-Free Process Capability | N/A |
|------------------------------|-----|
|------------------------------|-----|

Application Tooling

Global

| Description | Part Number |
|----------------|-------------|
| 2 333. 15 3.3. | |

| PremiumGrade Hand Crimp Tool for Krimptite/Versakrimp Terminals and Splices, 10-22 AWG and 6.0mm ² - 0.5mm ² | 640030100 |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Crimp Head for the AT-200 Pneumatic Hand Tool | 640070100 |
| ServiceGrade Hand Crimp Tool - Ratchet | 640160038 |

This document was generated on Aug 13, 2024