

Part Number: 2244145216

Product Description: SW1-to-Battery Cable Lug Off-the-Shelf (OTS) Cable Assembly, 11.00mm Diameter, Female, 1000.00mm

Length, 4/0 AWG, Red

Series Number: 224414 Status: Active

**Product Category:** Power and Signal Cable

**Assemblies** 

#### **Documents & Resources**

### **Drawings**

Drawing 2244145216\_sd.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

## General

Status	Active
Category	Power and Signal Cable Assemblies
Series	224414
Description	SW1-to-Battery Cable Lug Off-the- Shelf (OTS) Cable Assembly, 11.00mm Diameter, Female, 1000.00mm Length, 4/0 AWG, Red
Application	Power, Wire-to-Busbar, Wire-to- Board
Assembly Configuration	Dual Ended Connectors
Connector to Connector	SW1 11.00mm-to-Battery Cable Lug
Product Family	SW1 Connectors
Product Name	SW1
Туре	Discrete Wire Assembly
UPC	196823528705

## Electrical

Current - Maximum per Contact	300.0A
Voltage - Maximum	1000V

# Physical

Cable Length	1000.00mm
Circuits (Loaded)	1
Circuits (maximum)	1
Color - Resin	Red
Gender	Female-Female
Lock to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Silver
Material - Resin	PBT
Net Weight	1475.962/g
Number of Rows	1
Overmolded	No
Packaging Type	Bag

Single Ended	No
Termination Interface Style	Crimp or Compression
Wire/Cable Type	UL 1015
Wire Insulation Diameter	20.00mm
Wire Size (AWG)	4/0

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
SW1 11.00mm Knurled Press-fit Locking Pins	<u>218336</u>

This document was generated on Aug 15, 2024