



Part Number : 467070001

Series Number : 46707

Product Category : Connector Housings

Product Description : 2.54mm, 7.50mm Pitch
EXTreme Ten60Power Receptacle Housing, 15
Signal Circuits, 4 Power Circuits, Halogen-Free
Status : Obsolete

Documents & Resources

Product Environment Compliance

Compliance

GADSL/IMDS	Product not active
China RoHS	Product not active
EU ELV	Product not active
Low-Halogen Status	Product not active
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Obsolete
Category	Connector Housings
Series	46707

Description	2.54mm, 7.50mm Pitch EXTreme Ten60Power Receptacle Housing, 15 Signal Circuits, 4 Power Circuits, Halogen-Free
Application	Power, Signal, Wire-to-Wire
Product Family	EXTreme Ten60 High-Power Connectors
Product Name	EXTreme Ten60Power
UPC	883906132873

Agency

CSA	LR19980
UL	E29179

Physical

Circuits (maximum)	19
Color - Resin	Black
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	8.857/g
Number of Rows	1
Packaging Type	Tray
Panel Mount	No
Pitch - Mating Interface	2.54mm, 7.50mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

This document was generated on Aug 20, 2024