

Part Number : 506398128

Series Number: 50639

Product Description: 2.00mm Pitch Crimp Terminal, Male, Phosphor Bronze, 0.76µm

Gold (Au) Plating, Bag

Status: New Business Not Supported Packaging Alternative: 506398028 (Reel)

### **Documents & Resources**

**Product Category:** Crimp Terminals

**Tooling Specifications** 

Crimp Specification CS-50639-001-001.pdf

## **Product Environment Compliance**

## Compliance

| GADSL/IMDS         | Compliant with Exemption 44; 33                    |
|--------------------|--|
| China RoHS         | <b>©</b>   |
| EU ELV             | Not Relevant                                       |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                     |
| REACH SVHC         | Not Contained per D(2024)4144-DC<br>(27 June 2024) |
| EU RoHS            | Compliant per EU 2015/863                          |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

### **Part Details**

#### General

| Status       | New Business Not Supported  |
|--------------|---|
| Category     | Crimp Terminals   |
| Series       | 50639   |
| Description  | 2.00mm Pitch Crimp Terminal,<br>Male, Phosphor Bronze, 0.76µm<br>Gold (Au) Plating, Bag |
| Application  | Signal  |
| Product Name | N/A   |
| UPC          | 822348383351  |

# Physical

| Gender                         | Male                 |
|--------------------------------|----------------------|
| Material - Metal               | Phosphor Bronze      |
| Material - Plating Mating      | Gold                 |
| Material - Plating Termination | Tin                  |
| Net Weight                     | 108.754/mg           |
| Packaging Type                 | Bag                  |
| Plating min - Mating           | 0.762µm              |
| Plating min - Termination      | 1.016µm              |
| Termination Interface Style    | Crimp or Compression |
| Wire Insulation Diameter       | 1.20mm max.          |
| Wire Size (AWG)                | 22, 24, 26, 28       |
| Wire Size mm <sup>2</sup>      | N/A                  |

# **Application Tooling**

## Global

| Description   | Part Number |
|---|-------------|
| Extraction Tool for Flat Blade,<br>3.96mm KK, 2.00mm, 3.96mm<br>EdgeMate, and Ultra-Fit Terminals | 11030016    |

# **Application Tooling**

## Japan

| Description     | Part Number      |
|-----------------|------------------|
| Hand Crimp Tool | <u>573535000</u> |

| Hand Crimp Tool                   | 573535100         |
|-----------------------------------|-------------------|
| Hand Extraction Tool              | 573536000         |
| Crimp Hand Tool (Straight Action) | <u>5780015300</u> |

This document was generated on Aug 20, 2024