




CABLE GAGE	24	26	28
A. CABLE DIAMETER	10.4	9.3	8.4
B. MINIMUM OUTER RADIUS	46.9	41.7	37.7
C. FACEPLATE TO OUTER RADIUS	102.2	97.0	93.0

TM
IPASS IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE.			molex I-PASS X8 CABLE ASSEMBLY GEN 1		
	mm		1:1							
F = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				STATUS: Production			2023-09-08		
F = 0	ANGULAR TOL ± 0.5°									
P = 0	4 PLACES		±		DRWN: Santhosh NV			2023-10-12		
DIVISIONAL SYMBOLS	3 PLACES		±							
	2 PLACES		± 0.130		APPR: Gurunandan GA					
	1 PLACE		± 0.25					2023-10-12		
0 PLACES		±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION			
										DRAWING
				B-SIZE			74546			
										MATERIAL NUMBER
				SEE TABLE			GENERAL MARKET			
										SHEET NUMBER

