



Part Number : 745464081

Series Number : 74546

Product Category : High-Speed I/O Cable Assemblies


Product Description : 0.80mm Pitch iPass PCI Express X4-to-X8 Transition Cable Assembly, 1.0m Length

Status : New Business Not Supported

Documents & Resources

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains TBBA; C,C'-azodi(formamide) per D(2022)9120-DC (17 Jan 2023) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------|----------------------------|
| Status | New Business Not Supported |
|--------|----------------------------|

| | |
|------------------------|--|
| Category | High-Speed I/O Cable Assemblies |
| Series | 74546 |
| Description | 0.80mm Pitch iPass PCI Express X4-to-X8 Transition Cable Assembly, 1.0m Length |
| Assembly Configuration | Dual Ended Connectors |
| Connector to Connector | PCI Express-to-PCI Express |
| Product Family | iPass Connector System |
| Product Name | iPass,PCI Express |
| UPC | 800756824932 |

Agency

| | |
|-----|---------|
| CSA | LR64395 |
| UL | E72548 |

Electrical

| | |
|-------------------------------|--------|
| Current - Maximum per Contact | 1.0A |
| Voltage - Maximum | 30V DC |

Physical

| | |
|--------------------------|------------|
| Cable Length | 1.0m |
| Circuits (Loaded) | 68 |
| Circuits (maximum) | 68 |
| Gender | Plug/Plug |
| Lock to Mating Part | Yes |
| Material - Metal | Zinc Alloy |
| Net Weight | 190.000/g |
| Packaging Type | Bag |
| Single Ended | No |
| Waterproof / Dustproof | Yes |
| Wire/Cable Type | Round |
| Wire Insulation Diameter | N/A |
| Wire Size (AWG) | 24, 26, 28 |

This document was generated on Aug 20, 2024