

Part Number: 936010418

Product Description: GWconnect Turned Crimp Contact for 40A Inserts and Modules,

Male, Silver (Ag) Plated Copper Alloy, 2.50mm<sup>2</sup> (14 AWG), 100 per Bag

Status : Active

**Engineering Number:** 7600.5711.0

Series Number: 93601

**Product Category**: Heavy-Duty Contacts

### **Documents & Resources**

### **Drawings**

Drawing 936010418\_sd.pdf

#### **Specifications**

Product Specification 936010406-S00.pdf

## **Product Environment Compliance**

### Compliance

| GADSL/IMDS         | Not Relevant                                       |
|--------------------|--|
| China RoHS         | <b>®</b>   |
| EU ELV             | Not Relevant                                       |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                     |
| REACH SVHC         | Contains Lead per D(2024)4144-DC<br>(27 June 2024) |
| EU RoHS            | Compliant with Exemption 6(c) per<br>EU 2015/863   |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

## **Part Details**

## General

| Status         | Active  |
|----------------|---|
| Category       | Heavy-Duty Contacts   |
| Series         | 93601   |
| Description    | GWconnect Turned Crimp Contact<br>for 40A Inserts and Modules, Male,<br>Silver (Ag) Plated Copper Alloy,<br>2.50mm <sup>2</sup> (14 AWG), 100 per Bag |
| Contact Type   | Turned Crimp  |
| Product Family | GWconnect Heavy Duty Connectors (HDC)   |
| Product Name   | GWconnect   |
| UPC            | 887191889269  |

# Agency

| CSA | 256883  |
|-----|---------|
| UL  | E249674 |

## Electrical

| Current - Maximum per Contact | 40.0A   |
|-------------------------------|---------|
| earreite maximam per contact  | 10.07 ( |

# Physical

| Gender             | Male         |
|--------------------|--------------|
| Material - Contact | Copper Alloy |
| Material - Plating | Silver       |
| Net Weight         | 3.020/g      |
| Number of Grooves  | 0            |
| Packaging Type     | Bag          |
| Stripping Length   | 9.00mm       |
| Wire Size (AWG)    | 14           |
| Wire Size mm²      | 2.50         |

# Mates With / Use With

Mates with Part(s)

| Description                                     | Part Number  |
|---|--------------|
| GWconnect Heavy-Duty Connectors and Accessories | <u>93601</u> |

# Use with Part(s)

| Description | Part Number                     |
|-------------|---------------------------------|
| Use With    | S-K, S-Q, S-QD, and S-M Inserts |

This document was generated on Aug 20, 2024