

Part Number: 936010420

Product Description: GWconnect Turned Crimp Contact for 40A Inserts and Modules,

Male, Silver (Ag) Plated Copper Alloy, 4.00mm² (12 AWG), 100 per Bag

Status: Active

Engineering Number: 7600.5712.0

Series Number: 93601

Product Category: Heavy-Duty Contacts

Documents & Resources

Drawings

Drawing 936010420_sd.pdf

Specifications

Product Specification 936010406-S00.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	(8)
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Heavy-Duty Contacts
Series	93601
Description	GWconnect Turned Crimp Contact for 40A Inserts and Modules, Male, Silver (Ag) Plated Copper Alloy, 4.00mm ² (12 AWG), 100 per Bag
Contact Type	Turned Crimp
Product Family	GWconnect Heavy Duty Connectors (HDC)
Product Name	GWconnect
UPC	887191889283

Agency

CSA	256883
UL	E249674

Electrical

Current - Maximum per Contact	40.0A
earreite maximam per contact	10.07 (

Physical

Gender	Male
Material - Contact	Copper Alloy
Material - Plating	Silver
Net Weight	2.950/g
Number of Grooves	0
Packaging Type	Bag
Stripping Length	9.60mm
Wire Size (AWG)	12
Wire Size mm²	4.00

Mates With / Use With

Mates with Part(s)

Description	Part Number
GWconnect Heavy-Duty Connectors and Accessories	<u>93601</u>

Use with Part(s)

Description	Part Number
Use With	S-K, S-Q, S-QD, and S-M Inserts

This document was generated on Aug 13, 2024