



Part Number : 936010473

Series Number : 93601

Product Category : Heavy-Duty Contacts


Product Description : GWconnect Turned Crimp Contact for 70A Male S-M70/2 Inserts, Silver (Ag) Plated Copper Alloy, 10.00mm² (7 AWG), 100 per Bag

Status : Active

Engineering Number : 7700.3188.0

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------|---------------------|
| Status | Active |
| Category | Heavy-Duty Contacts |
| Series | 93601 |

| | |
|----------------|---|
| Description | GWconnect Turned Crimp Contact for 70A Male S-M70/2 Inserts, Silver (Ag) Plated Copper Alloy, 10.00mm ² (7 AWG), 100 per Bag |
| Contact Type | Turned Crimp |
| Product Family | GWconnect Heavy Duty Connectors (HDC) |
| Product Name | GWconnect |
| UPC | 887191892818 |

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 70.0A |
|-------------------------------|-------|

Physical

| | |
|--------------------|--------------|
| Gender | Male |
| Material - Contact | Copper Alloy |
| Material - Plating | Silver |
| Net Weight | 8.000/g |
| Number of Grooves | 0 |
| Packaging Type | Bag |
| Stripping Length | 15.00mm |

Mates With / Use With

Mates with Part(s)

| | |
|---|--------------|
| Description | Part Number |
| GWconnect Heavy-Duty Connectors and Accessories | <u>93601</u> |

Use with Part(s)

| | |
|-------------|----------------------|
| Description | Part Number |
| Use With | Male S-M70/2 Inserts |