



Part Number : 1300870057

Series Number : 130087

Product Category : Electrical Reels

Product Description : Woodhead Super-Safeway Industrial Duty Hand Wind Reel

Status : Active

Engineering Number : 930

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Reviewed per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Not Reviewed per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|-------------|---|
| Status | Active |
| Category | Electrical Reels |
| Series | 130087 |
| Description | Woodhead Super-Safeway Industrial Duty Hand Wind Reel |

| | |
|--------------------|---|
| Comments | Hand Wind Reels are design for heavy duty industrial storage applications |
| Enclosure Rating | NEMA 1 |
| NEMA Configuration | N/A |
| Product Family | Reels - Woodhead |
| Product Name | Super-Safeway |
| Type | Hand Wind Reel |
| UPC | 78678871860 |

Agency

| | |
|-----|---------|
| CSA | LR29921 |
| UL | E19795 |

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 10.0A |
| GFCI | No |
| Lamp Wattage - Maximum | N/A |
| On/Off Switch | N/A |
| Voltage - Maximum | 120V |

Physical

| | |
|--------------------|----------------|
| Bulb Included | N/A |
| Cable Length | N/A |
| Cable Movement | Manual |
| Cord Length | N/A |
| Cord Type | N/A |
| Depth | 0.34m (13.25") |
| Drum Lock | None |
| Duty | Industrial |
| Height | 0.45m (17.6") |
| Lamp Type | N/A |
| Material - Coating | Powder Coating |
| Material - Housing | Steel |
| Mounting Style | N/A |
| Net Weight | 9071.840/g |

| | |
|--------------------------|-------------------|
| Number of Conductors | 0 |
| Number of Receptacles | 0 |
| Packaging Type | Carton |
| Primary Cord/Cable Entry | N/A |
| Retraction Weight | N/A |
| Width | 241.30mm (9.500") |
| Wire Size (AWG) | N/A |

This document was generated on Aug 20, 2024