



Part Number : 1300990165

Series Number : 130099

Product Category : Cable Grips

Product Description : MAX-LOC/Watertite Cord Grips, 1/2" NPT, Straight Male, Body Size F2, Cable Diameter 7.88-9.40mm (.310-.370")

Status : Active

Engineering Number : 5630M

Documents & Resources

Drawings  
Drawing 1300990165\_sd.pdf

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Cable Grips

Series	130099
Description	MAX-LOC/Watertite Cord Grips, 1/2" NPT, Straight Male, Body Size F2, Cable Diameter 7.88-9.40mm (.310-.370")
NEMA Rating	NEMA 3R
Product Family	Strain-Relief Cord Grips
Product Name	MAX-LOC,Watertite
Type	Strain Relief Grip
UPC	78678856304

## Physical

Approximate Break Strength	N/A
Bale Length	N/A
Body Style	Straight
Cable Diameter	7.88-9.40mm (.310-.370")
Color - Grommet	N/A
Eye Type	N/A
Gender	Male
Material - Body	Nylon
Material - Grip	Stainless Steel
Mesh Length	N/A
Number of Holes	1
O-Ring	N/A
Thread Size	1/2" NPT

---

## Use with Part(s)

Description	Part Number
MAX-LOC Lock Nut 1/2" NPT	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1300990143.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1300990143.html</a>
MAX-LOC Gasket Sealing Ring, 1/2" NPT, Black	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1300990149.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1300990149.html</a>
MAX-LOC O-Ring, 1/2" NPT	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1301800314.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1301800314.html</a>

---

---

This document was generated on Aug 20, 2024