

Product Description: Super-Safeway Rubber Hand Lamp 75W with LOVOLT In-line Part Number: 1301050028

Transformer Screw Release Guard, Cord Type 14/2 SOOW, 7.62m (25.0') Cord Length

Status: Active

**Engineering Number: 1600-12A** 

Series Number: 130105

**Product Category:** Lamps and Lights

### **Product Environment Compliance**

#### Compliance

| China RoHS         | Not Reviewed |
|--------------------|--------------|
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **EU RoHS Certificate of Compliance**

#### **Part Details**

#### General

| Status   | Active           |
|----------|------------------|
| Category | Lamps and Lights |
| Series   | 130105           |

| Description        | Super-Safeway Rubber Hand Lamp<br>75W with LOVOLT In-line<br>Transformer Screw Release Guard,<br>Cord Type 14/2 SOOW, 7.62m<br>(25.0') Cord Length |
|--------------------|--|
| NEMA Configuration | NEMA 5-15  |
| Product Family     | Specialty Lighting   |
| Product Name       | Super-Safeway  |
| Туре               | Hand Lamps, Specialty Light  |
| UPC                | 78678862500  |

## Electrical

| Lamp Wattage - Maximum        | 75W          |
|-------------------------------|--------------|
| Lumens                        | 1000         |
| On/Off Switch                 | No           |
| Voltage (Fixture) - Maximum   | 120VAC 60 HZ |
| Voltage (Secondary) - Maximum | 12V AC       |

# Physical

| Bulb Type               | Incandescent               |
|-------------------------|----------------------------|
| Cord Length - Primary   | 3.04m (10.0')              |
| Cord Length - Secondary | 7.62m (25.0')              |
| Cord Type - Primary     | 16/3 SOOW                  |
| Cord Type - Secondary   | 14/2 SOOW                  |
| Depth                   | 101.60mm (4.000")          |
| Duty                    | Industrial                 |
| Guard Included          | Yes                        |
| Guard Type              | Screw Release              |
| Height                  | 374.65mm (14.750")         |
| Lamp Type               | A21                        |
| Length                  | N/A                        |
| Material - Guard        | #8 Gauge Zinc-plated Steel |
| Mounting Style          | Hand Held                  |
| Outlet                  | None                       |
| Packaging Type          | Carton                     |

This document was generated on Aug 13, 2024