



Part Number : 1301060097

Series Number : 130106

Product Category : Lamps and Lights

Product Description : Super-Safeway  
Assembled Rubber Stringlight 200W 14/3  
SOOW 1.52m (5.0') Lead Locking with Guard  
3.04m (10.0') Overall Length 30.48m (100.0')

Status : New Business Not Supported

Engineering Number : 310243

Documents & Resources

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)4144-DC (27 June 2024)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	New Business Not Supported
Category	Lamps and Lights

Series	130106
Description	Super-Safeway Assembled Rubber Stringlight 200W 14/3 SOOW 1.52m (5.0') Lead Locking with Guard 3.04m (10.0') Overall Length 30.48m (100.0')
NEMA Configuration	NEMA L5-15
NEMA Rating	Rain Tight
Product Family	Stringlights
Product Name	Super-Safeway
Type	String Lights
UPC	78678804132

## Agency

CSA	LR85374
-----	---------

## Electrical

Lamp Wattage - Maximum	200W
Lumens	2000
On/Off Switch	No
Voltage (Fixture) - Maximum	120VAC 60 HZ

## Physical

Bulb Type	Incandescent
Cord Length - Primary	3.04m (10.0')
Cord Length - Secondary	N/A
Cord Type - Primary	14/3 SOOW
Depth	46.48mm (1.830")
Duty	Industrial
Guard Included	Yes
Guard Type	Steel
Height	101.60mm (4.000")
Lamp Type	A21
Length	30.48m (100.0')
Material - Guard	#8 Gauge Zinc-plated Steel
Mounting Style	Stringer

Outlet	None
Packaging Type	Carton
Socket Construction	Assembled

---

This document was generated on Aug 20, 2024