



Part Number : 1301080100

Series Number : 130108

Product Category : Lamps and Lights

Product Description : Super-Safeway Twin Tube 64W Fluorescent Work Light 12V with 12/3 SJTW Feed Thru 1.22m (4.0') Cord Length

Status : Active

Engineering Number : 1052-12

Product Environment Compliance

Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

|             |                                                                                                          |
|-------------|----------------------------------------------------------------------------------------------------------|
| Status      | Active                                                                                                   |
| Category    | Lamps and Lights                                                                                         |
| Series      | 130108                                                                                                   |
| Description | Super-Safeway Twin Tube 64W Fluorescent Work Light 12V with 12/3 SJTW Feed Thru 1.22m (4.0') Cord Length |

|                    |                             |
|--------------------|-----------------------------|
| NEMA Configuration | Non-NEMA                    |
| Product Family     | Wide-Area Lighting Products |
| Product Name       | Super-Safeway               |
| Type               | Wide Area Lamps             |
| UPC                | 78678867068                 |

## Agency

|     |         |
|-----|---------|
| CSA | LR85374 |
| UL  | E174254 |

## Electrical

|                             |           |
|-----------------------------|-----------|
| Lamp Wattage - Maximum      | 64W       |
| Lumens                      | 2970      |
| On/Off Switch               | No        |
| Voltage (Fixture) - Maximum | 12V AC/DC |

## Physical

|                         |                   |
|-------------------------|-------------------|
| Bulb Type               | Fluorescent       |
| Cord Length - Primary   | 1.22m (4.0')      |
| Cord Length - Secondary | 0.152m (6.00" )   |
| Cord Type - Primary     | 12/3 SOOW         |
| Depth                   | 190.75mm (7.510") |
| Duty                    | Industrial        |
| Guard Included          | Yes               |
| Guard Type              | Clear Butyrate    |
| Height                  | 82.55mm (3.250")  |
| Lamp Type               | F32/T8            |
| Length                  | 1.39m (54.620")   |
| Material - Guard        | Butyrate          |
| Mounting Style          | Straps            |
| Outlet                  | Feed-Through      |
| Packaging Type          | Carton            |

This document was generated on Aug 20, 2024