

Part Number: 1301230117

Product Description: I-Beam Festoon Intermediate Car 605 PR, for 4.0" I-Beam, Steel Wheels and Kick-up Wheels

Status: Active

Engineering Number: S605411

Series Number: 130123 **Product Category:** Festoons

Product Environment Compliance

Compliance

| China RoHS | Not Reviewed |
|--------------------|--------------|
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|--|
| Category | Festoons |
| Series | 130123 |
| Description | I-Beam Festoon Intermediate Car 605 PR, for 4.0" I-Beam, Steel Wheels and Kick-up Wheels |
| Component Type | Car - Intermediate |

| Product Name | Aero-Motive |
|--------------|-------------|
| Туре | I-Beam |
| UPC | 78678862913 |

Physical

| Beam Size | S4 - 101.60mm |
|--------------------------------|----------------------|
| Cable Height - Maximum | 19.05mm (.750") |
| Cable Width - Maximum | 98.00mm (3.858") |
| Combined Cable Weight-Max./Car | 158.76kg (350.0 lb) |
| Depth | 156.46mm (6.160") |
| Duty | Heavy |
| Height | 282.00 (11.100") |
| Length | 254.00mm (10.000") |
| Material - Coating | Powder Coating |
| Material - Metal | Steel |
| Material - Wheel | Steel |
| Net Weight | 298.500/g |
| Number of Cars | 1 |
| Packaging Type | Individual Carton |
| Saddle Radius | 79.50mm (3.130") |
| Thread Size | N/A |
| Travel Speed - Maximum | 121.92 mpm (400 fpm) |
| Wire/Cable Type | Flat |

This document was generated on Aug 20, 2024