

Part Number: 1301530166

Product Description: Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Automatic Reset, Molded NEMA L5-30, 30A, 120V, 0.61m (2.0') Cord Length

**Status:** Active

**Engineering Number: 30051-1MLDA** 

Series Number: 130153

**Product Category:** Power Distribution

#### **Documents & Resources**

**Drawings** 

Drawing 1301530166\_sd.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Relevant
EU RoHS	Not Relevant

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **EU RoHS Certificate of Compliance**

#### **Part Details**

#### General

Status	Active
Category	Power Distribution
Series	130153
Description	Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Automatic Reset, Molded NEMA L5-30, 30A, 120V, 0.61m (2.0') Cord Length
Enclosure Rating	NEMA 6P
NEMA Configuration	NEMA L5-30
Product Family	Ground Fault Circuit Interrupter (GFCI) Products
Product Name	Super-Safeway
Туре	GFCI Industrial Duty, Single Phase
UPC	78678888308

# Agency

UL	E66308
----	--------

### Electrical

Current - Maximum per Contact	30.0A
GFCI	Yes-In-line
GFCI Reset	Automatic
Ground Continuity Monitor	No
Open Neutral Relay	Yes
Voltage - Maximum	N/A

## Physical

Cord Diameter	13.00mm (.512")
Cord Grip Body Size	Internal Double C-Clamp
Cord Length	0.61m (2.0')
Cord Type	10/3 SJEOOW
Feed-Thru	Yes
Flip Lid	No
Material - Housing	Nylon
Mounting Style	Portable
Number of Receptacles	1

Packaging Type	Bag
Receptacle Type	N/A

This document was generated on Aug 20, 2024