

Part Number: 1727040179

Product Description: FCT Plastic Backshell for D-Sub Connector, Shielded, Shell Size 5, 70° Angle Cable Outlet, Large Inner Chamber, with #4-40 Locking Screws, Individually

Packed

Series Number: 172704 Status: Active

Product Category : D-Sub Backshells Engineering Number : FKC5AE

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | ® |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per ED/71/2019 (16 July 2019) |
| EU RoHS | Compliant with Exemption 6(a)-l per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------|------------------|
| Category | D-Sub Backshells |

| Series | 172704 |
|----------------|--|
| Description | FCT Plastic Backshell for D-Sub Connector, Shielded, Shell Size 5, 70° Angle Cable Outlet, Large Inner Chamber, with #4-40 Locking Screws, Individually Packed |
| Magnetic | Yes |
| Product Family | FCT D-Sub Connectors |
| Product Name | FCT Products |
| Туре | Plastic |
| UPC | 889056062558 |

Electrical

| Shield Type | Shielded Plastic |
|-------------|------------------|
| Shielded | Yes |

Physical

| Cable Diameter | 6.00-14.00mm |
|-------------------------------|---------------|
| Material - Backshell | PC+ABS |
| | |
| Material - Screw | Steel |
| Mounting Style | Locking Screw |
| Net Weight | 36.000/g |
| Orientation | 70° Angle |
| Packaging Type | Bag |
| Plating - Backshell | Nickel |
| Temperature Range - Operating | -35° to +95°C |
| Thread Size | 4-40 UNC |
| Thread Type | Standard |
| Tightening Test Torque | 40 Ncm |
| Waterproof / Dustproof | No |

Use with Part(s)

| Description | Part Number |
|-------------|-------------------|
| Use With | FCT D-Sub, Size 5 |

This document was generated on Aug 20, 2024