

Part Number: 1731110396 Product Description: FCT Plastic Backshell for D-Sub Connector, Black, Shell Size 1, 80°

Angle Large Diameter Cable Outlet, Large Inner Chamber, with #4-40 Locking Screws

Status: Active

Engineering Number: FKC1-K201

Series Number: 173111

Product Category: D-Sub Backshells

Documents & Resources

Drawings

Drawing 1731110396_sd.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | 6 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS | Compliant with Exemption 6(a) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|---|
| Category | D-Sub Backshells |
| Series | 173111 |
| Description | FCT Plastic Backshell for D-Sub Connector, Black, Shell Size 1, 80° Angle Large Diameter Cable Outlet, Large Inner Chamber, with #4-40 Locking Screws |
| Magnetic | Yes |
| Product Family | FCT D-Sub Connectors |
| Product Name | FCT Products |
| Туре | Plastic |
| UPC | 191128829809 |

Electrical

| Shield Type | None |
|-------------|------|
| Shielded | No |

Physical

| Cable Diameter | 4.00-11.00mm |
|-------------------------------|----------------|
| | |
| Color - Resin | Black |
| Material - Backshell | PC+ABS |
| Material - Screw | Steel |
| Mounting Style | Locking Screw |
| Net Weight | 70.800/g |
| Orientation | 80° Angle |
| Packaging Type | Carton |
| Plating - Backshell | None |
| Temperature Range - Operating | -35° to +120°C |
| Thread Size | 4-40 UNC |
| Tightening Test Torque | 40 Ncm |
| Waterproof / Dustproof | No |

| Description | Part Number |
|-------------|-------------------|
| Use With | FCT D-Sub, Size 1 |

This document was generated on Aug 14, 2024