






NOTES

- RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
- NUMBER OF CONNECTORS : 3000 PCS/REEL.
- LEAD TAPE LENGTH.



- TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3
- MATERIAL
CARRIER TAPE : POLYSTYRENE
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE(PS)(RECYCLE MATERIAL CONTAINED)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex 0.4 FLOATING BOARD TO BOARD CONN. H=3 FSB3 REC EMBOSSTAPE PKG								
mm		1:5													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 663038 DRWN: AHMADI2 2020/12/21 CHK'D: TKON 2021/05/21 APPR: SHOSHIKAWA 2021/05/21 PRODUCT CUSTOMER DRAWING											
ANGULAR TOL		± 1.0 °													
4 PLACES		± 0.01													
3 PLACES		± 0.03													
2 PLACES		± 0.05													
1 PLACE		± 0.1		INITIAL REVISION: DRWN: JFURUKAWA 2019/01/31 APPR: SHOSHIKAWA 2020/05/20											
0 PLACES		± 0.2													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		204927		SEE CHART		GENERAL		1 OF 2	

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C

C


B

B


A

A


PULL OUT DIRECTION




SECTION X-X



2049270**1 (WITH COVER TAPE)



SECTION Y-Y



2049270**2 (WITHOUT COVER TAPE)

24	11.5	29.4	25.4	14.96	2049270602	2049270601	60
				12.96	2049270502	2049270501	50
				10.96	2049270402	2049270401	40
				8.96	2049270302	2049270301	30
16	7.5	21.4	17.4	6.96	2049270202	2049270201	20
E	(D)	C	B	(A)	WITHOUT COVER TAPE	WITH COVER TAPE	CIRCUIT
					ORDER No.		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 663038 DRWN: AHMADI2 2020/12/21 CHK'D: TKON 2021/05/21 APPR: SHOSHIKAWA 2021/05/21 INITIAL REVISION: DRWN: JFURUKAWA 2019/01/31 APPR: SHOSHIKAWA 2020/05/20				molex									
mm		2:1						0.4 FLOATING BOARD TO BOARD CONN. H=3 FSB3 REC EMBOSSTAPE PKG									
GENERAL TOLERANCES (UNLESS SPECIFIED)								PRODUCT CUSTOMER DRAWING									
ANGULAR TOL		± 1.0 °						DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
4 PLACES		± 0.01						2049270000-SD				PSD		000		C	
3 PLACES		± 0.03															
2 PLACES		± 0.05															
1 PLACE		± 0.1															
0 PLACES		± 0.2															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		204927		SEE CHART		GENERAL		2 OF 2			

DOCUMENT STATUS	P1	RELEASE DATE	2021/05/21	05:04:52
-----------------	----	--------------	------------	----------

9

8

7

6

5


4


3

2


1

FORMAT: master-b-prod-A3
REVISION: J
DATE: 2020/01/14







RECOMMENDED P.W.BOARD PATTERN LAYOUT(REFERENCE)



RECOMMENDED METAL MASK LAYOUT(REFERENCE)

RECOMMENDED THICKNESS OF METAL MASK : t=0.1mm
RECOMMENDED OPEN APERTURE RATIO OF METAL MASK : TERMINAL 100%, NAIL 150%



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex					
mm		10:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.4 FLOATING BOARD TO BOARD CONN. H=3 FSB3 REC ASSY									
ANGULAR TOL ± 3.0 °													
4 PLACES ± 0.03				EC NO: 758037 DRWN: KYHWANG 2023/07/28 CHK'D: SMARUYAMA 2023/08/01 APPR: YNAITO 2023/08/01									
3 PLACES ± 0.03													
2 PLACES ± 0.05				PRODUCT CUSTOMER DRAWING									
1 PLACE ± 0.1													
0 PLACES ± 0.2				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				2049271000-SD		PSD		000		D			
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		204927		SEE CHART		GENERAL		2 OF 2	