

Part Number : 2144140011

**Product Description :** ISM/DSRC Hinged External Antenna, with Reverse Polar SMA

Male Connector, Black

Status: Active

Series Number: 214414 Product Category: Antennas

#### **Documents & Resources**

#### **Drawings**

<u>Drawing 2144140011\_sd.pdf</u> Packaging Design Drawing 2128600001-PK1.pdf

### 3D Models and Design Files

3D Model 2144140011\_stp.zip

#### **Specifications**

Application Specification 2144140001-AS.pdf Product Specification 2144140001-PS.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>®</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

# **Part Details**

## General

Status	Active
Category	Antennas
Series	214414
Description	ISM/DSRC Hinged External Antenna, with Reverse Polar SMA Male Connector, Black
Component Type	External Antenna
Function	Signal
Product Family	Industrial, Scientific and Medical (ISM) Antennas
Product Name	ISM/DSRC Hinged Antenna
Protocol	DSRC, ISM
Type	External
UPC	193264434787

## **Electrical**

Band#1 F_End (MHz)	6000
Band#1 F_Start (MHz)	5800
Electrical Connectivity	Cable
Peak Gain (dBi)	3.9 @ 5 GHz
Return Loss - S11 (dB)	< -10
Total Efficiency	>75% @ 5 GHz

# Physical

Length	108.40mm
Mounting Style	N/A
Net Weight	9.250/g
Packaging Type	Bag
Polarization	Linear
Radiation Pattern	Omnidirectional

Temperature Range - Operating	-40° to +85°C
Width	9.35mm

## Mates With / Use With

# Mates with Part(s)

Description	Part Number
Mates With	Reverse Polar SMA Female Receptacle

This document was generated on Aug 20, 2024