

Part Number: 2169465013

Product Description: Ultra-Fit Crimp Terminal, Male, Tin (Sn) Plating, 16-18 AWG

Status: Active

Series Number: 216946

**Product Category:** Crimp Terminals

#### **Documents & Resources**

#### **Drawings**

Drawing 2169465013\_sd.pdf

#### **Specifications**

Application Specification 1723230003-000.pdf Test Summary 2169460001-TS-000.pdf

### **Product Environment Compliance**

#### Compliance

| GADSL/IMDS         | Not Relevant                                       |
|--------------------|----------------------------------------------------|
| China RoHS         | •                                                  |
| EU ELV             | Not Relevant                                       |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                     |
| REACH SVHC         | Not Contained per D(2024)4144-DC<br>(27 June 2024) |
| EU RoHS            | Compliant per EU 2015/863                          |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **EU RoHS Certificate of Compliance**

## **Part Details**

### General

| Status         | Active                                                                            |
|----------------|-----------------------------------------------------------------------------------|
| Category       | Crimp Terminals                                                                   |
| Series         | 216946                                                                            |
| Description    | Ultra-Fit Crimp Terminal, Male, Tin<br>(Sn) Plating, 16-18 AWG                    |
| Application    | Power, Wire-to-Wire                                                               |
| Comments       | See Product Specification for maximum current rating by circuit size and wire AWG |
| Product Family | Ultra-Fit Power Connectors                                                        |
| Product Name   | Ultra-Fit                                                                         |
| UPC            | 195842154292                                                                      |

## Agency

### Electrical

| Voltage - Maximum | 600V AC (RMS)/DC |
|-------------------|------------------|
|-------------------|------------------|

## Physical

| Durability (mating cycles max) | 25                    |
|--------------------------------|-----------------------|
| Flammability                   | 94V-0                 |
| Gender                         | Male                  |
| Material - Metal               | Phosphor Bronze Alloy |
| Material - Plating Mating      | Matte Tin             |
| Material - Plating Termination | Matte Tin             |
| Net Weight                     | 0.160/g               |
| Packaging Type                 | Reel                  |
| Plating min - Mating           | 1.524µm               |
| Plating min - Termination      | 1.524µm               |
| Termination Interface Style    | Crimp or Compression  |
| Wire Insulation Diameter       | 1.70-2.00mm           |
| Wire Size (AWG)                | 16, 18                |

| Wire Size mm² | N/A |
|---------------|-----|
|               |     |

## Use with Part(s)

| Description                        | Part Number |
|------------------------------------|-------------|
| Ultra-Fit Single Row Plug Housings | 202569      |
| Ultra-Fit Dual Row Plug Housings   | 216945      |

# **Application Tooling**

### Global

| Description                                                                                         | Part Number |
|-----------------------------------------------------------------------------------------------------|-------------|
| Extraction Tool for Ultra-Fit Plug<br>Terminals, 16-18 AWG and 20-22<br>AWG Wires                   | 2002221700  |
| FineAdjust Applicator for Ultra-Fit<br>Tangless Male Crimp Terminals, 16-<br>18 AWG, UL1061 Wire    | 2037024300  |
| Hand Crimp Tool for Ultra-Fit<br>Tangless Male and Female<br>Terminals, 16-18 AWG (UL 1061)<br>Wire | 2133096200  |

This document was generated on Aug 15, 2024