

https://www.phoenixcontact.com/us/products/0801485



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Snap-in markers, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 10 x 8 mm, Number of individual labels: 36

### Your advantages

- The UCT-EM ... UniCard marking range includes markers for devices and switching devices from a wide range of manufacturers
- · The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers
- · The sheets provide additional space for project information and function text that can be helpful during further assembly
- · The multi-section marking strips are easy to fit and can be easily separated if required
- · Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

#### Commercial data

Item number	0801485
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG10
Product key	BG2418
Catalog page	Page 307 (C-3-2019)
GTIN	4046356673358
Weight per piece (including packing)	13.22 g
Weight per piece (excluding packing)	11 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/0801485



### Technical data

### Product properties

Device marking
03
36
6
Thermal transfer for sheets and cards, UV LED technology, direct laser marking

### Mounting

Mounting type	snapped
---------------	---------

### Material specifications

RoHS compliant	yes
Color	white (RAL 9010)
Material	PC
Flammability rating according to UL 94	V0
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone and halogen

### Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
UV resistance	
Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

#### Wipe resistance of inscriptions

Who resistance of modifications	
Specification	IEC 61010-1:2010-06
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed



0801485

https://www.phoenixcontact.com/us/products/0801485

<b>T</b> (: :				4.1		
Lesting in a	condensation	changing	climate ii	n the	nresence of	f sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

#### Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

#### Ambient conditions

Ambient temperature (operation)	-40 °C 120 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

#### **Dimensions**

Width	10 mm
Text field width	10.00 mm
Text field height	8.00 mm
Length	8 mm

### Standards and regulations

Wipe resistance DIN EN 61
Wipe resistance DIN EN 61



0801485

https://www.phoenixcontact.com/us/products/0801485

### Classifications

UNSPSC 21.0

### **ECLASS**

	ECLASS-11.0	27281103
	ECLASS-12.0	27281103
	ECLASS-13.0	27281103
ETIM		
	ETIM 9.0	EC001288
UNSPSC		

39131500



https://www.phoenixcontact.com/us/products/0801485



#### Accessories

### THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/us/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

### THERMOMARK PRIME 2.0 US - Thermal transfer printer

1472410

https://www.phoenixcontact.com/us/products/1472410



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.



https://www.phoenixcontact.com/us/products/0801485



### **BLUEMARK ID - Printer**

1003334

https://www.phoenixcontact.com/us/products/1003334



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

#### **BLUEMARK ID COLOR - Printer**

1002329

https://www.phoenixcontact.com/us/products/1002329



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.



https://www.phoenixcontact.com/us/products/0801485



#### TOPMARK NEO - Laser marker

1012015

https://www.phoenixcontact.com/us/products/1012015



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

#### THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

https://www.phoenixcontact.com/us/products/0801384



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black



0801485

https://www.phoenixcontact.com/us/products/0801485

### THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

https://www.phoenixcontact.com/us/products/0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

### TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

https://www.phoenixcontact.com/us/products/0803374

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. .., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black





0801485

https://www.phoenixcontact.com/us/products/0801485

### BM ID-CARTR. BK - Ink cartridge

1044345

https://www.phoenixcontact.com/us/products/1044345



Replacement UV fluid, 23 ml, color: black

### BM ID-CARTR. CY - Ink cartridge

1044346

https://www.phoenixcontact.com/us/products/1044346



Replacement UV fluid, 23 ml, color: cyan



0801485

https://www.phoenixcontact.com/us/products/0801485

### BM ID-CARTR. YE - Ink cartridge

1044348

https://www.phoenixcontact.com/us/products/1044348



Replacement UV fluid, 23 ml, color: yellow

### BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

https://www.phoenixcontact.com/us/products/5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge





https://www.phoenixcontact.com/us/products/0801485



### BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

https://www.phoenixcontact.com/us/products/5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



### TMP-UCT-MAG12 - Magazine

0803354

https://www.phoenixcontact.com/us/products/0803354

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (10x8), UCT-EM (12x7), length: 0.166 m, width: 114 mm, height: 11.5 mm





https://www.phoenixcontact.com/us/products/0801485



### BM ID-MAG20 - Magazine

1044356

https://www.phoenixcontact.com/us/products/1044356



Infeed magazine for accommodating a max. of 20 UniCard sheets

### BM ID-MAG40 - Magazine

1044357

https://www.phoenixcontact.com/us/products/1044357



Infeed magazine for accommodating a maxi. of 40 UniCard sheets



0801485

https://www.phoenixcontact.com/us/products/0801485

### TOPMARK LASER-MAG UCT-A - Magazine

0803141

https://www.phoenixcontact.com/us/products/0803141

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



### TOPMARK LASER-MAG UCT-M - Magazine

0803143

https://www.phoenixcontact.com/us/products/0803143

Magazine for the TOPMARK LASER, for accommodating UCT material manually





https://www.phoenixcontact.com/us/products/0801485



#### THERMOMARK CARD - Thermal transfer printer

5146464

https://www.phoenixcontact.com/us/products/5146464



Thermal transfer printer for cards

### THERMOMARK PRIME - Thermal transfer printer

5148888

https://www.phoenixcontact.com/us/products/5148888



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m



0801485

https://www.phoenixcontact.com/us/products/0801485

#### **BLUEMARK CLED - Printer**

5147999

https://www.phoenixcontact.com/us/products/5147999



Printers with LED-UV technology for printing plastic labels in UniCard format.

### THERMOMARK CARD-UCT-MAG12 - Magazine

0830399

https://www.phoenixcontact.com/us/products/0830399



Magazine for the THERMOMARK CARD printer, for accommodating UCT sheets UCT-EM (10 x 8) and UCT-EM (12 x 7)

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com