

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Profile, self-adhesive, 1000 mm long, for accommodating UC-,/US-, LS-, and EMT (EX15)R material, 15 mm height

Commercial data

Item number	0829559
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BG12
Product key	BG241A
Catalog page	Page 350 (C-3-2019)
GTIN	4046356614900
Weight per piece (including packing)	27.5 g
Weight per piece (excluding packing)	27.5 g
Customs tariff number	39162000
Country of origin	DE

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Technical data

Product properties

Product type	Marker carriers
Data management status	
Article revision	01

Dimensions

Width	1000 mm
Text field width	1000.00 mm
Text field height	15.00 mm
Length	15 mm

Material specifications

RoHS compliant	yes
Adhesive	Acrylic
Color	gray (RAL 7042)
Material	PVC
Components	Silicone-free

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

UV resistance

Specification	ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h
Specification	IEC 60068-2-2:2007-07
Result	Test passed
Duration	96 h
Maximum temperature	+60 °C

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Ambient temperature (operation)	-40 °C ... 60 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %
Shelf life	12 months

Mounting

Mounting type	adhesive
---------------	----------

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Classifications

ECLASS

ECLASS-11.0	27281105
ECLASS-12.0	27281105
ECLASS-13.0	27281105

ETIM

ETIM 9.0	EC002248
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)(CAS: 15571-58-1)
SCIP	cf97b071-d39a-4558-a187-7d41727d93ca

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Accessories

UC-EMP (17X15) - Snap-in markers

0825421

<https://www.phoenixcontact.com/us/products/0825421>



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 17 x 15 mm, Number of individual labels: 8

UC-EMP (17X15) SR - Snap-in markers

0825423

<https://www.phoenixcontact.com/us/products/0825423>



Snap-in markers, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 17 x 15 mm, Number of individual labels: 8

CARRIER/L-EMP (1000X15) GY - Marker carriers




0829559

<https://www.phoenixcontact.com/us/products/0829559>

UC-EMP (17X15) YE - Snap-in markers

0825422

<https://www.phoenixcontact.com/us/products/0825422>



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 17 x 15 mm, Number of individual labels: 8

UC-EMP (27X15) - Snap-in markers

0825439

<https://www.phoenixcontact.com/us/products/0825439>



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 8

CARRIER/L-EMP (1000X15) GY - Marker carriers




0829559

<https://www.phoenixcontact.com/us/products/0829559>

UC-EMP (27X15) SR - Snap-in markers

0825441

<https://www.phoenixcontact.com/us/products/0825441>




Snap-in markers, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 8

UC-EMP (27X15) YE - Snap-in markers

0825440

<https://www.phoenixcontact.com/us/products/0825440>



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 8

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

UC-EMP (49X15) - Snap-in markers

0825457

<https://www.phoenixcontact.com/us/products/0825457>



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 4

UC-EMP (49X15) RD - Snap-in markers

0829498

<https://www.phoenixcontact.com/us/products/0829498>



Snap-in markers, Sheet, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 4

CARRIER/L-EMP (1000X15) GY - Marker carriers




0829559

<https://www.phoenixcontact.com/us/products/0829559>

UC-EMP (49X15) SR - Snap-in markers

0825459

<https://www.phoenixcontact.com/us/products/0825459>




Snap-in markers, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 4

UC-EMP (49X15) YE - Snap-in markers

0825458

<https://www.phoenixcontact.com/us/products/0825458>



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 4

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

UC-EMP (60X15) - Snap-in markers

0822259

<https://www.phoenixcontact.com/us/products/0822259>



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, lettering field size: 60 x 15 mm, Number of individual labels: 4

UC-EMP (60X15) SR - Snap-in markers

0827647

<https://www.phoenixcontact.com/us/products/0827647>



Snap-in markers, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID COLOR, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, lettering field size: 60 x 15 mm, Number of individual labels: 4

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

UC-EMP (60X15) YE - Snap-in markers

0825330

<https://www.phoenixcontact.com/us/products/0825330>



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, lettering field size: 60 x 15 mm, Number of individual labels: 4

US-EMP (100X15) - Snap-in markers

0829521

<https://www.phoenixcontact.com/us/products/0829521>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 100 x 15 mm, Number of individual labels: 9

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (100X15) SR - Snap-in markers

0829523

<https://www.phoenixcontact.com/us/products/0829523>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 100 x 15 mm, Number of individual labels: 9

US-EMP (100X15) YE - Snap-in markers

0829522

<https://www.phoenixcontact.com/us/products/0829522>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 100 x 15 mm, Number of individual labels: 9

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (17X15) - Snap-in markers

0828774

<https://www.phoenixcontact.com/us/products/0828774>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 17 x 15 mm, Number of individual labels: 54

US-EMP (17X15) SR - Snap-in markers

0828843

<https://www.phoenixcontact.com/us/products/0828843>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 17 x 15 mm, Number of individual labels: 54

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (17X15) YE - Snap-in markers

0828842

<https://www.phoenixcontact.com/us/products/0828842>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 17 x 15 mm, Number of individual labels: 54

US-EMP (27X15) - Snap-in markers

0828777

<https://www.phoenixcontact.com/us/products/0828777>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 27

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (27X15) SR - Snap-in markers

0828849

<https://www.phoenixcontact.com/us/products/0828849>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 27

US-EMP (27X15) YE - Snap-in markers

0828848

<https://www.phoenixcontact.com/us/products/0828848>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 27

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (35X15) - Snap-in markers

0830295

<https://www.phoenixcontact.com/us/products/0830295>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 35 x 15 mm, Number of individual labels: 24

US-EMP (35X15) RD - Snap-in markers

0830309

<https://www.phoenixcontact.com/us/products/0830309>



Snap-in markers, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 35 x 15 mm, Number of individual labels: 24

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (35X15) SR - Snap-in markers

0830308

<https://www.phoenixcontact.com/us/products/0830308>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 35 x 15 mm, Number of individual labels: 24

US-EMP (35X15) YE - Snap-in markers

0830307

<https://www.phoenixcontact.com/us/products/0830307>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 35 x 15 mm, Number of individual labels: 24

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (49X15) - Snap-in markers

0828780

<https://www.phoenixcontact.com/us/products/0828780>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 18

US-EMP (49X15) SR - Snap-in markers

0828855

<https://www.phoenixcontact.com/us/products/0828855>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 18

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (49X15) YE - Snap-in markers

0828854

<https://www.phoenixcontact.com/us/products/0828854>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 49 x 15 mm, Number of individual labels: 18

US-EMP (52,5X15) - Snap-in markers

0830296

<https://www.phoenixcontact.com/us/products/0830296>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 52.5 x 15 mm, Number of individual labels: 16

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (52,5X15) RD - Snap-in markers

0830312

<https://www.phoenixcontact.com/us/products/0830312>



Snap-in markers, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 52.5 x 15 mm, Number of individual labels: 16

US-EMP (52,5X15) SR - Snap-in markers

0830311

<https://www.phoenixcontact.com/us/products/0830311>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 52.5 x 15 mm, Number of individual labels: 16

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (52,5X15) YE - Snap-in markers

0830310

<https://www.phoenixcontact.com/us/products/0830310>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 52.5 x 15 mm, Number of individual labels: 16

US-EMP (60X15) - Snap-in markers

0828781

<https://www.phoenixcontact.com/us/products/0828781>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 60 x 15 mm, Number of individual labels: 9

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (60X15) SR - Snap-in markers

0828857

<https://www.phoenixcontact.com/us/products/0828857>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, lettering field size: 60 x 15 mm, Number of individual labels: 9

US-EMP (60X15) YE - Snap-in markers

0828856

<https://www.phoenixcontact.com/us/products/0828856>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, lettering field size: 60 x 15 mm, Number of individual labels: 9

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (70X15) - Snap-in markers

0830297

<https://www.phoenixcontact.com/us/products/0830297>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 70 x 15 mm, Number of individual labels: 8

US-EMP (70X15) RD - Snap-in markers

0830315

<https://www.phoenixcontact.com/us/products/0830315>



Snap-in markers, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 70 x 15 mm, Number of individual labels: 8

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (70X15) SR - Snap-in markers

0830314

<https://www.phoenixcontact.com/us/products/0830314>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 70 x 15 mm, Number of individual labels: 8

US-EMP (8,8X15) - Snap-in markers

0830293

<https://www.phoenixcontact.com/us/products/0830293>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 8.8 x 15 mm, Number of individual labels: 88

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (8,8X15) RD - Snap-in markers

0830428

<https://www.phoenixcontact.com/us/products/0830428>



Snap-in markers, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 8.8 x 15 mm, Number of individual labels: 88

US-EMP (8,8X15) SR - Snap-in markers

0830427

<https://www.phoenixcontact.com/us/products/0830427>



Snap-in markers, Card, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 8.8 x 15 mm, Number of individual labels: 88

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

US-EMP (8,8X15) YE - Snap-in markers

0830426

<https://www.phoenixcontact.com/us/products/0830426>



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 8.8 x 15 mm, Number of individual labels: 88

EMT (EX15)R - Insert label

0830671

<https://www.phoenixcontact.com/us/products/0830671>



Insert label, for marking Phoenix Contact CARRIER/L-EMP marker carriers, Roll, white, unlabeled, can be labeled with: THERMOMARK E.300 (D)/600 (D), THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMaster 300/600, THERMOMARK X1.2, mounting type: snapped, lettering field size: 15 x 50000 mm, Number of individual labels: 1

CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

LS-EMP-AL (27X15) - Device marker

0831661

<https://www.phoenixcontact.com/us/products/0831661>

Device marker, Aluminum label, aluminum color, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 40



LS-EMP-AL (27X15) BK - Device marker

0831669

<https://www.phoenixcontact.com/us/products/0831669>

Device marker, Aluminum label, black, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: snapped, lettering field size: 27 x 15 mm, Number of individual labels: 40



CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

LS-EMP-AL (60X15) - Device marker

0831664

<https://www.phoenixcontact.com/us/products/0831664>

Device marker, Aluminum label, aluminum color, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: snapped, lettering field size: 60 x 15 mm, Number of individual labels: 16



LS-EMP-AL (60X15) BK - Device marker

0831672

<https://www.phoenixcontact.com/us/products/0831672>

Device marker, Aluminum label, black, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: snapped, lettering field size: 60 x 15 mm, Number of individual labels: 16



CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

CARRIER-EMP (1000X15) COVER - Cover

0829520

<https://www.phoenixcontact.com/us/products/0829520>



Cover, transparent, unlabeled, mounting type: snapped, lettering field size:
1000 x 15 mm

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com