

HS WM-S 75 DCS - Holder

1082304

<https://www.phoenixcontact.com/us/products/1082304>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



75 mm wall bracket, pivotable, with four 6.5 mm mounting holes and mounting diameter of 30 mm for housing attachment, black glass-fiber reinforced polycarbonate PC, and aluminum, 306 g

Your advantages

- Secure mounting of small and large monitors and operator interfaces, thanks to the high load-bearing capacity
- Can be swiveled and tilted in three axes for optimum alignment with the field of view
- VESA interface in standard VESA 75 and VESA 100 for easy wall or aluminum profile mounting
- Item belongs to the DCS product range

Commercial data

Item number	1082304
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFBAZ
GTIN	4055626812649
Weight per piece (including packing)	335.5 g
Weight per piece (excluding packing)	335.5 g
Customs tariff number	39269097
Country of origin	DE

HS WM-S 75 DCS - Holder

1082304

<https://www.phoenixcontact.com/us/products/1082304>



Technical data

Product properties

Product type	Mounting material
Housing type	Wall bracket
Product family	DCS
Type	Plate 75 mm, 4 x hole (6.5 mm diameter)

Data management status

Article revision	00
------------------	----

HS WM-S 75 DCS - Holder

1082304

<https://www.phoenixcontact.com/us/products/1082304>



Classifications

ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27190605

ETIM

ETIM 9.0	EC001031
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

HS WM-S 75 DCS - Holder

1082304

<https://www.phoenixcontact.com/us/products/1082304>



Accessories

HS EH-B 140,5 DCS - Holder

1082302

<https://www.phoenixcontact.com/us/products/1082302>



140.5 mm housing attachment, for max. load 10 kg, with ball joint and fastening plate 60 mm, pivotable in 15° increments, for 30 mm wall/profile bracket, material: black glass-fiber reinforced polycarbonate PC, and black anodized aluminum, 342 g

HS MP VESA75/100 DCS - Connecting plate

1082303

<https://www.phoenixcontact.com/us/products/1082303>



VESA 75/100 connection plate with M5 mounting kit for DCS 15" display support, die cast aluminum, 80 g

HS WM-S 75 DCS - Holder

1082304

<https://www.phoenixcontact.com/us/products/1082304>



DCS 15 M C O SLV C 7035 - Electronics housing

2203190

<https://www.phoenixcontact.com/us/products/2203190>



Display housing, 15", light gray, central window, front level, with ventilation slots, cutout for connection technology angle plate, and VESA mount consisting of two half shells with screws

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com