

https://www.phoenixcontact.com/us/products/1085776



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug for cold junction compensation for thermocouples, in combination with MACX MCR(-EX)-TC... temperature transducers

Commercial data

Item number	1085776
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C402
Product key	CK11ZZ
Catalog page	Page 132 (C-5-2019)
GTIN	4055626875811
Weight per piece (including packing)	6.3 g
Weight per piece (excluding packing)	6.3 g
Customs tariff number	85332100
Country of origin	DE



https://www.phoenixcontact.com/us/products/1085776



Technical data

Product properties

Product type	Plug				
Data management status					
Article revision	00				

Approvals

Corrosive gas test

Identification	ISA S71.04.2013 G3 Harsh Group A



https://www.phoenixcontact.com/us/products/1085776



Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27210192		
ECLASS-12.0	27210192		
ECLASS-13.0	27210192		
ETIM			
ETIM 9.0	EC002498		
UNSPSC			

39121000



https://www.phoenixcontact.com/us/products/1085776



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



https://www.phoenixcontact.com/us/products/1085776



Mandatory accessories

VIP/S/D25M/BASE 1-8/L/C/EX - Base module

2906595

https://www.phoenixcontact.com/us/products/2906595



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. This module with the D-SUB 25 connector is pin compatible with the Foxboro I/A series DCS.

VIP/MSTB/D50M/BASE/16CH/CX/EX - Base module

2908788

https://www.phoenixcontact.com/us/products/2908788



16-channel VIP I/O marshalling base element for universal use. Plug-in field and supply terminals available as accessories. Either with screw or Push-in connection technology. Compatible with the Tricon CX DCS series (D-SUB 50).



https://www.phoenixcontact.com/us/products/1085776



VIP/S/MC/BASE 1-8/L/EX - Base module

2906596

https://www.phoenixcontact.com/us/products/2906596



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 1–8.

VIP/S/MC/BASE 9-16/L/EX - Base module

2906630

https://www.phoenixcontact.com/us/products/2906630



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 9–16.



https://www.phoenixcontact.com/us/products/1085776



VIP/S/MC/BASE 17-24/L/EX - Base module

2907024

https://www.phoenixcontact.com/us/products/2907024



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 17–24.

VIP/S/MC/BASE 25-32/L/EX - Base module

2907025

https://www.phoenixcontact.com/us/products/2907025



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 25–32.



https://www.phoenixcontact.com/us/products/1085776



VIP/S/MC/BASE 1-8/L/C/EX - Base module

2907186

https://www.phoenixcontact.com/us/products/2907186



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 1–8 and painting.

VIP/S/MC/BASE 9-16/L/C/EX - Base module

2907187

https://www.phoenixcontact.com/us/products/2907187



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 9–16 and painting.

1085776

https://www.phoenixcontact.com/us/products/1085776



VIP/S/MC/BASE 17-24/L/C/EX - Base module

2907209

https://www.phoenixcontact.com/us/products/2907209



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 17–24 and painting

VIP/S/MC/BASE 25-32/L/C/EX - Base module

2907210

https://www.phoenixcontact.com/us/products/2907210



8-channel VIP I/O marshalling base element for universal use. All connections as screw connection technology. With the COMBICON connector, compatible with the Honeywell C300 and RUSIO series. Marking for channels 25–32 and painting.

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com