

NS 32 WH UNPERF 2000MM-VPE 10 - DIN rail,  
unperforated



1204106  
<https://www.phoenixcontact.com/us/products/1204106>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, Pack of 10 (20 m), acc. to EN 60715, material: Steel, Galvanized, white passivated, G profile, color: silver

Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1204106             |
| Packing unit                         | 20 m                |
| Minimum order quantity               | 20 m                |
| Sales key                            | BE72                |
| Product key                          | BE7253              |
| Catalog page                         | Page 535 (C-3-2019) |
| GTIN                                 | 4017918106423       |
| Weight per piece (including packing) | 1,470 g             |
| Weight per piece (excluding packing) | 1,470 g             |
| Customs tariff number                | 72166190            |
| Country of origin                    | DE                  |

# NS 32 WH UNPERF 2000MM-VPE 10 - DIN rail, unperforated



1204106  
<https://www.phoenixcontact.com/us/products/1204106>

## Technical data

### Product properties

|                        |          |
|------------------------|----------|
| Product type           | DIN rail |
| Data management status |          |
| Article revision       | 02       |

### Dimensions

|                     |         |
|---------------------|---------|
| Dimensional drawing |         |
| Width               | 32 mm   |
| Height              | 2000 mm |
| Depth               | 15 mm   |
| Length              | 2000 mm |

### Material specifications

|          |                              |
|----------|------------------------------|
| Color    | silver                       |
| Material | Steel                        |
| Coating  | Galvanized, white passivated |

### Standards and regulations

|                                  |                  |
|----------------------------------|------------------|
| Connection in acc. with standard | IEC / EN         |
| Tests                            | acc. to EN 60715 |

# NS 32 WH UNPERF 2000MM-VPE 10 - DIN rail, unperforated




1204106

<https://www.phoenixcontact.com/us/products/1204106>

## Drawings

Dimensional drawing



# NS 32 WH UNPERF 2000MM-VPE 10 - DIN rail, unperforated



1204106

<https://www.phoenixcontact.com/us/products/1204106>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27400602 |
| ECLASS-13.0 | 27400602 |
| ECLASS-12.0 | 27400602 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC001285 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

1204106  
<https://www.phoenixcontact.com/us/products/1204106>

Environmental product compliance

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| EU RoHS                                 |                                          |
| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
| China RoHS                              |                                          |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|                                         | No hazardous substances above the limits |
| EU REACH SVHC                           |                                          |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)