

CUTFOX FB - Cutting tool

1205985

<https://www.phoenixcontact.com/us/products/1205985>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



One-hand bridge cutter, for fixed bridges FBI 10-6, FBI 10-8, FBI 10-10, FBI 10-12

Your advantages

- Ergonomic handle design to eliminate fatigue when working

Commercial data

Item number	1205985
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH311S
Catalog page	Page 392 (C-3-2019)
GTIN	4017918137755
Weight per piece (including packing)	196.4 g
Weight per piece (excluding packing)	194.9 g
Customs tariff number	82032000
Country of origin	DE

CUTFOX FB - Cutting tool

1205985

<https://www.phoenixcontact.com/us/products/1205985>



Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Cutting tools
Application	Fixed bridges

Dimensions

Width	53 mm
Length	165 mm

Material specifications

Color	multicolored
-------	--------------

Cable/line

External cable diameter	> 0 mm
-------------------------	--------

CUTFOX FB - Cutting tool

1205985

<https://www.phoenixcontact.com/us/products/1205985>



Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1205985>



EAC

Approval ID: RU x-DE.xx08.B.02974

CUTFOX FB - Cutting tool

1205985
<https://www.phoenixcontact.com/us/products/1205985>



Classifications

ECLASS

ECLASS-11.0	21043711
ECLASS-12.0	21043711
ECLASS-13.0	21043711

ETIM

ETIM 9.0	EC000165
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com