

# CF 500/DIE RCT 4 - Crimp insert

1212243

<https://www.phoenixcontact.com/us/products/1212243>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Die for CF 500 automatic crimping device, for 0.1 mm<sup>2</sup> ... 4 mm<sup>2</sup> tubular cable lugs

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1212243             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | BH32                |
| Product key                          | BH323Z              |
| Catalog page                         | Page 511 (C-3-2019) |
| GTIN                                 | 4046356450010       |
| Weight per piece (including packing) | 64.6 g              |
| Weight per piece (excluding packing) | 64 g                |
| Customs tariff number                | 84799070            |
| Country of origin                    | DE                  |

# CF 500/DIE RCT 4 - Crimp insert



1212243

<https://www.phoenixcontact.com/us/products/1212243>

## Technical data

### Product properties

|                    |                     |
|--------------------|---------------------|
| Product type       | Die                 |
| Compression        | Indent crimp        |
| Min. cross section | 0.1 mm <sup>2</sup> |
| Max. cross section | 4 mm <sup>2</sup>   |

### Connection data

#### Conductor connection

|                             |                                           |
|-----------------------------|-------------------------------------------|
| Cross section range, metric | 0.1 mm <sup>2</sup> ... 4 mm <sup>2</sup> |
|-----------------------------|-------------------------------------------|

### Material specifications

|       |        |
|-------|--------|
| Color | silver |
|-------|--------|

### Cable/line

|                         |                   |
|-------------------------|-------------------|
| External cable diameter | 0.5 mm ... 1.9 mm |
|-------------------------|-------------------|

# CF 500/DIE RCT 4 - Crimp insert

1212243

<https://www.phoenixcontact.com/us/products/1212243>



## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212243>



**EAC**

Approval ID: RU C-DE.AI30.B.01549

# CF 500/DIE RCT 4 - Crimp insert



1212243

<https://www.phoenixcontact.com/us/products/1212243>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 17130192 |
| ECLASS-12.0 | 17130192 |
| ECLASS-13.0 | 17130192 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002778 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111500 |
|-------------|----------|

# CF 500/DIE RCT 4 - Crimp insert

1212243

<https://www.phoenixcontact.com/us/products/1212243>



## Mandatory accessories

### CF 500/COV RCT 4 - Covering hood

1212253

<https://www.phoenixcontact.com/us/products/1212253>



Protective hood for CF 500 automatic crimping device, for tubular cable lugs 0.34 mm<sup>2</sup> ... 2.5 mm<sup>2</sup> (RCT 2.5)

---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)