

VS-04-C-SDA/PH/0,3 - USB cable

1405552

<https://www.phoenixcontact.com/us/products/1405552>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

USB cable, with USB connectors at one end, assembled connector type: A, single post connector, length: 0.3 m



Commercial data

Item number	1405552
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB14
Product key	ABNDBA
Catalog page	Page 453 (C-2-2019)
GTIN	4046356460576
Weight per piece (including packing)	20.7 g
Weight per piece (excluding packing)	18.5 g
Customs tariff number	85444290
Country of origin	DE

VS-04-C-SDA/PH/0,3 - USB cable



1405552

<https://www.phoenixcontact.com/us/products/1405552>

Technical data

Product properties

Product type	Data cable preassembled
Sensor type	USB 2.0
Number of positions	4

Data management status

Article revision	02
------------------	----

Electrical properties

Transmission medium	Copper
Transmission characteristics (category)	USB 2.0
Transmission speed	480 Mbps

Material specifications

Outer sheath, material	PVC
------------------------	-----

Connector

Connection 1

Type	Plug straight USB type A
------	--------------------------

Connection 2

Type	Individual pin plug
------	---------------------

Cable/line

Cable structure	2xAWG28 + 2xAWG24
Outer sheath, material	PVC
External sheath, color	gray

VS-04-C-SDA/PH/0,3 - USB cable



1405552

<https://www.phoenixcontact.com/us/products/1405552>

Classifications

ECLASS

ECLASS-11.0	27060308
ECLASS-12.0	27060308
ECLASS-13.0	27060308

ETIM

ETIM 9.0	EC002599
----------	----------

UNSPSC

UNSPSC 21.0	26121600
-------------	----------

VS-04-C-SDA/PH/0,3 - USB cable

1405552

<https://www.phoenixcontact.com/us/products/1405552>




Accessories

VS-04-BUA-FK-F/IP67 - USB female insert

1653854

<https://www.phoenixcontact.com/us/products/1653854>




USB socket insert, 4-pos., socket USB type A on flat-ribbon cable terminal strip, pitch 2.54, for the Freenet system in the panel mounting frame, IP20 terminal outlet, 19" patch panel and service interface

VS-04-BUB-FK-F/IP67 - USB female insert

1653867

<https://www.phoenixcontact.com/us/products/1653867>



USB socket insert, 4-pos., socket USB type B on flat-ribbon cable terminal strip, pitch 2.54, for the Freenet system in the panel mounting frame, IP20 terminal outlet, 19" patch panel and service interface

VS-04-C-SDA/PH/0,3 - USB cable

1405552

<https://www.phoenixcontact.com/us/products/1405552>



VS-A-F-IP67 - Panel-mount frame

1653744

<https://www.phoenixcontact.com/us/products/1653744>



Panel mounting frame, IP67, for Freenet system, for round panel cutout, with grommet, without mounting screws, color: gray

VS-08-SD-F - Protective cover

1652606

<https://www.phoenixcontact.com/us/products/1652606>



Protective cover, IP67, flat design, to cover the contact insert in the panel mounting frame, color: gray

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com