

https://www.phoenixcontact.com/us/products/1414672



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Replacement profile gasket, for HC-EVO-D25.....BK housing



### Commercial data

| Item number                          | 1414672             |
|--------------------------------------|---------------------|
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 10 pc               |
| Sales key                            | BF66                |
| Product key                          | BF7APZ              |
| Catalog page                         | Page 652 (C-4-2015) |
| GTIN                                 | 4055626031231       |
| Weight per piece (including packing) | 3.03 g              |
| Weight per piece (excluding packing) | 3.03 g              |
| Customs tariff number                | 40169300            |
| Country of origin                    | IT                  |



https://www.phoenixcontact.com/us/products/1414672



### Technical data

### Product properties

| Product type           | Seal |
|------------------------|------|
| Туре                   | D25  |
| Data management status |      |
| Article revision       | 00   |

#### **Dimensions**

| Dimensional drawing | 8     |
|---------------------|-------|
| Width               | 30 mm |
| Height              | 4 mm  |
| Length              | 80 mm |

### Material specifications

| Seal material Profile gasket | NBR |
|------------------------------|-----|
|------------------------------|-----|

#### Environmental and real-life conditions

#### Ambient conditions

| Ambient temperature (operation) | -40 °C 125 °C |
|---------------------------------|---------------|
| (                               |               |

### Mounting

| Assembly note | The replacement seal should be bonded with Loctite 454 adhesive. |
|---------------|--|
|               | For HC-EVO-D25BK housing   |




https://www.phoenixcontact.com/us/products/1414672



## Drawings

### Dimensional drawing



Dimensional drawing



1414672

https://www.phoenixcontact.com/us/products/1414672

### Classifications

UNSPSC 21.0

#### **ECLASS**

|      | ECLASS-11.0 | 23071590 |
|------|-------------|----------|
|      | ECLASS-12.0 | 23071590 |
|      | ECLASS-13.0 | 23071590 |
| ETIM |             |          |
|      | ETIM 9.0    | EC002498 |
| UN   | SPSC        |          |

31401600



https://www.phoenixcontact.com/us/products/1414672



### Environmental product compliance

#### EU RoHS

| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
|---|--|
| China RoHS                              |  |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|   | No hazardous substances above the limits |
| EU REACH SVHC                           |  |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com