

NBC-MSD/50,0-93E/R4AC - Network cable



1424714

<https://www.phoenixcontact.com/pc/products/1424714>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Network cable, 4-position, Plug straight M12, on Plug straight RJ45, cable length: 50 m

Commercial data

Item number	1424714
Packing unit	1 pc
Minimum order quantity	15 pc
Note	Made to order (non-returnable)
Product key	BF1CJI
GTIN	4055626375069
Weight per piece (including packing)	2,068 g
Weight per piece (excluding packing)	2,068 g
Customs tariff number	85444290
Country of origin	PL

NBC-MSD/50,0-93E/R4AC - Network cable



1424714

<https://www.phoenixcontact.com/pc/products/1424714>

Technical data

Product properties

Product type	Data cable preassembled
Number of positions	4

Electrical properties

Nominal voltage U_N	48 V AC
	60 V DC

Material specifications

Outer sheath, material	PUR
------------------------	-----

Connector

Connection 1

Type	Plug straight M12
Material	CuZn (Contact)
	Ni/Au (Contact surface)
	TPU GF (Contact carriers)
	TPU, hardly inflammable, self-extinguishing (Grip body)
	Zinc die-cast, nickel-plated (Screw connection)

Connection 2

Type	Plug straight RJ45
Number of positions	4 (8)
Material	CuSn (Contact)
	Ni/Au (Contact surface)
	PC (Contact carriers)
	PA (Housing)

Cable/line

Cable length	50 m
Outer sheath, material	PUR
External sheath, color	water blue RAL 5021

NBC-MSD/50,0-93E/R4AC - Network cable



1424714

<https://www.phoenixcontact.com/pc/products/1424714>

Classifications

ECLASS

ECLASS-11.0	27060307
ECLASS-12.0	27060307
ECLASS-13.0	27060307

ETIM

ETIM 8.0	EC001855
----------	----------

UNSPSC

UNSPSC 21.0	26121600
-------------	----------

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%