HS LC-H-D2SP/ R1XC8 - Fiber optic



1474394

https://www.phoenixcontact.com/us/products/1474394

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Multiple light guides, passive, rigid, Raised head, Emission surface: spherical, Number of displays: 8, (1 row, 8 columns), pitch: 2.54 mm, ESD protection: <8 kV, can be used for the ME, ME-MAX, ME-IO, ME PLC, and EH housing ranges (housing must be processed)



Your advantages

- · Light guides are perfectly matched to electronics housings
- · Easy mounting on the PCB using press pins
- · Resistance to ESD
- · Housing processing available on request
- · Enables simple visual status and diagnostic indicators

Commercial data

Item number	1474394
Packing unit	50 pc
Minimum order quantity	100 pc
Sales key	AC05
Product key	ACGABA
GTIN	4063151887261
Weight per piece (including packing)	0.91 g
Weight per piece (excluding packing)	0.91 g
Customs tariff number	90019000
Country of origin	DE

HS LC-H-D2SP/ R1XC8 - Fiber optic



1474394

https://www.phoenixcontact.com/us/products/1474394

Technical data

Notes

Assembly note	Refer to the data sheet for the range in the download area.
oduct properties	
Product type	Fiber optic
Number of positions	8
Pitch	2.54 mm
Number of rows	1
Alignment	Horizontal
Туре	passive, rigid
Conductor type	Multiple light guides
Head form	Raised head
Number of indicators	8 (1 row x 8 columns)
Data management status	
Article revision	00
Article revision	00
	00 < 8 kV
ectrical properties	
ectrical properties ESD protection	
ectrical properties ESD protection mensions	< 8 kV
ectrical properties ESD protection mensions Diameter	< 8 kV 2 mm
ectrical properties ESD protection mensions Diameter Hole diameter	< 8 kV 2 mm 1.1 mm

Environmental and real-life conditions

Insulating material

Ambient conditions			
Max. IP code to attain	IP20		
Ambient temperature (operation)	-40 °C 85 °C		

Polycarbonat

HS LC-H-D2SP/ R1XC8 - Fiber optic



1474394

https://www.phoenixcontact.com/us/products/1474394

Classifications

ECLASS

	ECLASS-11.0	27182702		
	ECLASS-13.0	27460404		
ETIM				
	ETIM 9.0	EC001031		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com