

1592612

https://www.phoenixcontact.com/us/products/1592612

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Panel mounting base, series: RC, straight, Screw locking mechanism, M23, Axial seal, Central fixing, shielded: yes

Commercial data

Item number	1592612
Packing unit	40 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	AB31
Product key	ABRAFP
GTIN	4046356191845
Weight per piece (including packing)	35.09 g
Weight per piece (excluding packing)	32 g
Customs tariff number	85366990
Country of origin	DE



1592612

https://www.phoenixcontact.com/us/products/1592612

Technical data

Mounting

Order information:	Order contact inserts separately
roduct properties	
Product type	Sleeve housings
Series	RC
Application	Signal
Shielded	yes
Thread type	M23
laterial specifications	
laterial specifications Housing material connector	Metal
Housing material	Metal straight
Housing material	

Central fixing



1592612

https://www.phoenixcontact.com/us/products/1592612

Classifications

UNSPSC 21.0

ECLASS

27440224
27440224
27440224
EC001121

39121400



1592612

https://www.phoenixcontact.com/us/products/1592612

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	1246f499-a9d0-408a-bcb9-17c40ab12469

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com