

https://www.phoenixcontact.com/us/products/1603327



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimp contact, Socket, rolled, Single contact, contact diameter: 1 mm, crimp range: $0.22 \text{ mm}^2 \dots 0.56 \text{ mm}^2$, Single contact, Item is lead-free in accordance with RoHS II without Exemption 6c (Pb < 0.1%)

Your advantages

- · Crimping connection: vibration- and temperature-resistant assembly
- · High tensile strength of the connection
- · Low contact resistance
- · Easy production monitoring
- · Variable production run startup, thanks to full or semi-automation

Commercial data

Item number	1603327
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AB36
Product key	ABRECA
Catalog page	Page 78 (C-2-2019)
GTIN	4046356244947
Weight per piece (including packing)	0.124 g
Weight per piece (excluding packing)	0.12 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/1603327



Technical data

Mechanical data

Insertion/withdrawal cycles

Notes	
-------	--

Order information:	Single contact	
Product properties		
Product type	Crimp contact	
Contact material type	rolled	
Data management status		
Article revision	00	
Connection data		
Connection method	Crimp connection	
Contact connection type	Socket	
Conductor cross section	0.22 mm² 0.56 mm²	
Material specifications		
Contact surface	Gold	
Contact material	Cu alloy	
Dimensions		
Mechanical characteristics		
Contact diameter	1 mm	
Mechanical properties		

100



https://www.phoenixcontact.com/us/products/1603327



Classifications

ECLASS

	ECLASS-11.0	27440204
	ECLASS-12.0	27440204
	ECLASS-13.0	27440204
ETIM		
	ETIM 9.0	EC000796
LINSDSC		

UNSPSC

UNSPSC 21.0	39121500
-------------	----------



https://www.phoenixcontact.com/us/products/1603327



Environmental product compliance

EU RoHS	
---------	--

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	



https://www.phoenixcontact.com/us/products/1603327



Accessories

RC-Z2130 - Crimping pliers

1604267

https://www.phoenixcontact.com/us/products/1604267



Crimping pliers for rolled RC crimp contacts Ø 1 mm, litz wire cross section of 0. 08 $\text{mm}^2 \dots 0.56 \ \text{mm}^2$

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com