

VS-25-T-20-1-S-S - D-SUB sleeve housings



1655690
<https://www.phoenixcontact.com/us/products/1655690>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

D-SUB sleeve housings, design: D-SUB 25, degree of protection: IP20, material: ABS, cable outlet: straight, housing size: 3, color: Bare metallic



Commercial data

Item number	1655690
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	NULL
Product key	ABNCAE
Catalog page	Page 218 (C-2-2013)
GTIN	4046356029582
Weight per piece (including packing)	22.7 g
Weight per piece (excluding packing)	20.9 g
Customs tariff number	85389099
Country of origin	HU

VS-25-T-20-1-S-S - D-SUB sleeve housings



1655690


<https://www.phoenixcontact.com/us/products/1655690>

Technical data

Product properties

Product type	Sleeve housings
Type	D-SUB 25
No. of cable outlets	1
Cable outlet	straight

Dimensions

Dimensional drawing	
Width	53.2 mm
Height	15.2 mm
Length	37.7 mm

Material specifications

Color	Bare metallic
Flammability rating according to UL 94	V0
Housing material	ABS
Housing surface material	metal-plated

Cable/line

External cable diameter	4 mm ... 8.5 mm
-------------------------	-----------------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	-40 °C ... 90 °C

VS-25-T-20-1-S-S - D-SUB sleeve housings


1655690

<https://www.phoenixcontact.com/us/products/1655690>



Drawings

Dimensional drawing



VS-25-T-20-1-S-S - D-SUB sleeve housings



1655690

<https://www.phoenixcontact.com/us/products/1655690>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

VS-25-T-20-1-S-S - D-SUB sleeve housings

1655690

<https://www.phoenixcontact.com/us/products/1655690>



Accessories

CUC-DST-GPME-S/DSSC25 - D-SUB sleeve housings

1419719

<https://www.phoenixcontact.com/us/products/1419719>



D-SUB sleeve housings, degree of protection: IP20, material: ABS, metal-plated, cable outlet: straight, housing size: 3, color: Bare metallic

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com