

# HC-B 24-AP-GY - Cover plate



1660397

<https://www.phoenixcontact.com/us/products/1660397>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

HEAVYCON cover plate, for panel cutouts of type B24/HV16, 3.5 mm thick, gray



## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1660397             |
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 1 pc                |
| Sales key                            | BF66                |
| Product key                          | BF7AZD              |
| Catalog page                         | Page 664 (C-2-2019) |
| GTIN                                 | 4017918022037       |
| Weight per piece (including packing) | 22.46 g             |
| Weight per piece (excluding packing) | 22.46 g             |
| Customs tariff number                | 39269097            |
| Country of origin                    | DE                  |

# HC-B 24-AP-GY - Cover plate

1660397

<https://www.phoenixcontact.com/us/products/1660397>



## Technical data

### Notes

|         |                                    |
|---------|------------------------------------|
| General | For panel cutouts of type B24/HV16 |
|---------|------------------------------------|

### Product properties

|              |             |
|--------------|-------------|
| Product type | Cover plate |
| Type         | B24/HV16    |
| Seal present | yes         |

### Data management status

|                  |    |
|------------------|----|
| Article revision | 01 |
|------------------|----|

### Dimensions

|                                 |        |
|---------------------------------|--------|
| Dimensional drawing             |        |
| Width                           | 52 mm  |
| Height                          | 4.5 mm |
| Length                          | 150 mm |
| Drill hole distance, horizontal | 130 mm |
| Drill hole distance, vertical   | 32 mm  |
| Hole diameter                   | 4.5 mm |

### Installation dimensions

|                               |        |
|-------------------------------|--------|
| Width of the assembly cutout  | 36 mm  |
| Length of the assembly cutout | 113 mm |

### Material specifications

|                                        |     |
|----------------------------------------|-----|
| Material                               | PA  |
| Flammability rating according to UL 94 | HB  |
| Seal material                          | PTS |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Degree of protection            | IP54              |
| Ambient temperature (operation) | -20 °C ... 100 °C |


# HC-B 24-AP-GY - Cover plate

1660397

<https://www.phoenixcontact.com/us/products/1660397>



## Drawings



Dimensional drawing

# HC-B 24-AP-GY - Cover plate



1660397

<https://www.phoenixcontact.com/us/products/1660397>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27440201 |
| ECLASS-12.0 | 27440201 |
| ECLASS-13.0 | 27440201 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002309 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

# HC-B 24-AP-GY - Cover plate



1660397  
<https://www.phoenixcontact.com/us/products/1660397>

## Environmental product compliance

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| EU RoHS                                 |                                          |
| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
| China RoHS                              |                                          |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|                                         | No hazardous substances above the limits |
| EU REACH SVHC                           |                                          |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)