

2203566

https://www.phoenixcontact.com/us/products/2203566

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 12 keys, embossed, 3 colors, connecting cable: 100.5 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

Your advantages

- · Easy integration into HCS series electronics housings
- · Membrane keypads in various sizes and colors for customized device designs
- · Customization of membrane keypad via configurator

Commercial data

Item number	2203566
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFACF
GTIN	4055626472492
Weight per piece (including packing)	14.7 g
Weight per piece (excluding packing)	14.7 g
Customs tariff number	85365011
Country of origin	DE



2203566

https://www.phoenixcontact.com/us/products/2203566

Technical data

Product properties

Toduct properties				
Product type	Membrane keypad			
Housing type	Handheld housing			
Housing series	HCS			
Product family	HCS			
Number of positions	9			
Pitch	2.54 mm			
Technology	Conductive silver/graphite (T6/4 Cu/Ag)			
Embossing	Dome embossing 11 x 11 mm			
Number of socket pins	9			
Number of keys	12 (4 x 3)			
Data management status				
Article revision	01			
Dimensions				
Lenath	100.5 mm (Membrane cable)			

D

Length	100.5 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	70 mm x 69 mm

Material specifications

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C 70 °C
Ambient temperature (storage/transport)	-40 °C 80 °C

Mounting

Mounting type	adhesive



2203566

https://www.phoenixcontact.com/us/products/2203566

Classifications

ECLASS

	ECLASS-11.0	27182702			
	ECLASS-13.0	27190605			
ETIM					
	ETIM 9.0	EC001031			
LINIODOG					
UNSPSC					
	UNSPSC 21.0	31261500			



2203566

https://www.phoenixcontact.com/us/products/2203566

Accessories

HCS-C MINI-P 1W C C C 7035 - Electronics housing

2203153

https://www.phoenixcontact.com/us/products/2203153



Handheld housing, C-Mini-Plus, light gray, consisting of two half shells with screws, front 1.1 mm recessed, with window and keypad slot

HCS-C MINI-P 1W C 1 1 7035 - Electronics housing

2203155

https://www.phoenixcontact.com/us/products/2203155



Handheld housing, C-Mini-Plus, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, with window and keypad slot



2203566

https://www.phoenixcontact.com/us/products/2203566

HCS-C MINI-P 1W 2AA C C 7035 - Electronics housing

2203157

https://www.phoenixcontact.com/us/products/2203157



Handheld housing, C-Mini-Plus, light gray, consisting of two half shells, screws. Front 1.1 mm recessed, with window and keypad slot, battery compartment cover and battery contacts for 2 AA batteries

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com