

2203567

https://www.phoenixcontact.com/pc/products/2203567

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 12 keys, embossed, 3 colors, connecting cable: 88.5 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

Your advantages

- · Easy integration into HCS series electronics housings
- · Membrane keypads in various sizes and colors for customized device designs
- · Customization of membrane keypad via configurator

Commercial data

Item number	2203567
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ACFABF
GTIN	4055626474007
Weight per piece (including packing)	13.5 g
Weight per piece (excluding packing)	13.5 g
Customs tariff number	85371098
Country of origin	DE



2203567

https://www.phoenixcontact.com/pc/products/2203567

Technical data

Product properties

Product type	Membrane keypad
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Number of positions	9
Pitch	2.54 mm
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 10 x 10 mm
Number of socket pins	9
Number of keys	12 (2 x 6)

Dimensions

Length	88.5 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	38 mm x 140 mm

Material specifications

Housing material	Polyester
------------------	-----------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C 70 °C
Ambient temperature (storage/transport)	-40 °C 80 °C

Mounting

Mounting type	adhesive
---------------	----------



2203567

https://www.phoenixcontact.com/pc/products/2203567

Classifications

ECLASS

	ECLASS-11.0	27182702		
	ECLASS-13.0	27190605		
ETIM				
	ETIM 9.0	EC001031		
UNSPSC				
	UNSPSC 21.0	31261500		



2203567

https://www.phoenixcontact.com/pc/products/2203567

Accessories

HCS-T MICRO X C 1 1 7035 - Electronics housing

2203126

https://www.phoenixcontact.com/pc/products/2203126



Handheld housing, T-Micro, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, closed with keypad slot

HCS-T MICRO X 2AA C C 7035 - Electronics housing

2203127

https://www.phoenixcontact.com/pc/products/2203127



Handheld housing, T-Micro, light gray, consisting of two half shells, screws, front 1.1 mm recessed, closed with keypad slot, battery compartment cover and battery contacts, for 2 AA batteries



2203567

https://www.phoenixcontact.com/pc/products/2203567

HCS-T MICRO X 2AA 1 1 7035 - Electronics housing

2203128

https://www.phoenixcontact.com/pc/products/2203128



Handheld housing, T-Micro, light gray, consisting of two half shells, two front plates, screws. Front 1.1 mm recessed, closed with keypad slot, battery compartment cover and battery contacts for 2 AA batteries

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com