


# SIM-AMSC1 - Relay base



2271390  
<https://www.phoenixcontact.com/us/products/2271390>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Plug-in base for standard I/O modules, Generation 4 from Opto 22, can be labeled with marker pins BN or BNB



## Commercial data

Item number	2271390
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	C460
Product key	CK69W1
Catalog page	Page 561 (C-7-2013)
GTIN	4017918054274
Weight per piece (including packing)	7.37 g
Weight per piece (excluding packing)	7.282 g
Customs tariff number	85366990
Country of origin	PL

# SIM-AMSC1 - Relay base

2271390

<https://www.phoenixcontact.com/us/products/2271390>



## Technical data

### Product properties

Product type	Relay socket
--------------	--------------


### Electrical properties

Nominal voltage $U_N$	250 V AC
	380 V AC
Nominal current $I_N$	5 A

### Connection data

Connection method	Solder pins
-------------------	-------------

### Dimensions

Dimensional drawing	
Pin dimensions	1,1 x 0,5 mm
Hole diameter	1.4 mm

### Material specifications

Color	green (RAL 6021)
Insulating material	PA

### Standards and regulations

Standards	
Standards/regulations	DIN VDE 0110b, Gr. C for 250 V DC

# SIM-AMSC1 - Relay base


2271390

<https://www.phoenixcontact.com/us/products/2271390>



## Drawings

### Schematic diagram




Contacts in the plug-in socket:

A = with metal

B = without metal

### Dimensional drawing



# SIM-AMSC1 - Relay base


2271390


<https://www.phoenixcontact.com/us/products/2271390>



## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2271390>

	<b>UL Recognized</b>			
	Approval ID: FILE E 113228			
		Nominal voltage U <sub>N</sub>	Nominal current I <sub>N</sub>	Cross section AWG
		300 V	5 A	-
				Cross section mm <sup>2</sup>
				-

	<b>EAC</b>
	Approval ID: RU D-DE.B*00573/18

# SIM-AMSC1 - Relay base

2271390

<https://www.phoenixcontact.com/us/products/2271390>



## Classifications

### ECLASS

ECLASS-11.0	27371603
ECLASS-12.0	27371603
ECLASS-13.0	27371603

### ETIM

ETIM 8.0	EC001456
----------	----------

### UNSPSC

UNSPSC 21.0	39122300
-------------	----------

# SIM-AMSC1 - Relay base

2271390  
<https://www.phoenixcontact.com/us/products/2271390>



## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	f35d4957-d761-445b-bd7a-a93e3d0044d2

# SIM-AMSC1 - Relay base



2271390

<https://www.phoenixcontact.com/us/products/2271390>

## Accessories

### BN WH - Marker for terminal blocks

1401404

<https://www.phoenixcontact.com/us/products/1401404>



Marker for terminal blocks, Stud, white, unlabeled, can be labeled with: Marker pen, mounting type: plug in, for terminal block width: 4.2 mm, lettering field size: 4 x 4 mm

---

### BNB WH:ZAHLEN - Marker pin

0810892

<https://www.phoenixcontact.com/us/products/0810892>



Marker pin, Stud, white, labeled, mounting type: plug in, for terminal block width: 4.2 mm, lettering field size: 4 x 4 mm, Number of individual labels: 1

# SIM-AMSC1 - Relay base

2271390

<https://www.phoenixcontact.com/us/products/2271390>



## BNB WH:SYMBOLE - Marker pin

0810915

<https://www.phoenixcontact.com/us/products/0810915>



Marker pin, Stud, white, labeled, horizontal: Symbols +, -, /, ~, ERD, SERD, L1, L2, L3 PE, PEN (up to 3 characters), mounting type: plug in, for terminal block width: 4.2 mm, lettering field size: 4 x 4 mm, Number of individual labels: 1

---

## BN-TRK - Marker for terminal blocks

2701404

<https://www.phoenixcontact.com/us/products/2701404>



Marker for terminal blocks, Stud, white, unlabeled, can be labeled with: Marker pen, mounting type: plug in, for terminal block width: 7.5 mm, lettering field size: 4 x 7.5 mm



# SIM-AMSC1 - Relay base

2271390

<https://www.phoenixcontact.com/us/products/2271390>



## BNB-TRK:ZAHLEN - Zack marker strip

0810931

<https://www.phoenixcontact.com/us/products/0810931>



Zack marker strip, Stud, white, labeled, mounting type: plug in, for terminal block width: 7.5 mm, lettering field size: 4 x 7.5 mm, Number of individual labels: 1

---

## B-STIFT - Marker pen

1051993

<https://www.phoenixcontact.com/us/products/1051993>



Marker pen, for manual labeling of unprinted Zack strips, smear-proof and waterproof, line thickness 0.5 mm

# SIM-AMSC1 - Relay base

2271390

<https://www.phoenixcontact.com/us/products/2271390>



## X-PEN 0,35 - Marker pen

0811228

<https://www.phoenixcontact.com/us/products/0811228>



Marker pen without ink cartridge, for manual labeling of markers, labeling extremely wipe-proof, line thickness 0.35 mm

---

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)