

2400063

https://www.phoenixcontact.com/pc/products/2400063

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



19", 2U rack-mount PC with an Intel® Core™ i3-9100TE or Intel Core™ i7-9700TE 2.40 GHz processor and up to 32 GB of RAM. Mass storage options up to 8 TB. PCI and PCIe expansion slots are open for expansion.

Your advantages

- Tailored to the 19" rack format
- · Two swappable drive trays for mass storage
- · All front facing components are secured under a lockable door
- · Easy maintenance with hot-swappable and changeable fan filter
- RAID support
- USB 2.0 and 3.0 support

Commercial data

Item number	2400063
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	DRBABI
Catalog page	Page 477 (C-6-2019)
GTIN	4055626033716
Weight per piece (including packing)	18.69 g
Weight per piece (excluding packing)	18,034 g
Customs tariff number	84715000
Country of origin	TW



2400063

https://www.phoenixcontact.com/pc/products/2400063

Technical data

Notes

Note on application				
Note on application	Only for industrial use			
Product properties				
	Dealine court DC			
Product type	Rackmount PC			
Computer data				
Processor	Intel® Core™ i3-9100TE 2.2 GHz			
	Intel® Core™ i7-9700TE 1.8 GHz			
Operating system	without operating system			
	Windows® 10 IoT Enterprise LTSC 2019 (64-bit), Multi-language			
RAM	32 GB DDR4 SODIMM			
	16 GB DDR4 SODIMM			
	8 GB DDR4 SODIMM			
Data storage system	without data storage			
	1 TB HDD 3.5" SATA			
	2 TB HDD 3.5" SATA			
	4 TB HDD 3.5" SATA			
	240 GB SSD			
	480 GB SSD			
Cooling	active			
PCI option 1	open PCI and PCIe slots			
Raid system	0, 1			
Slots	optional			
Extended functions	3x PCI			
	1x PCle x4			
	1x PCle x16			
Optical drive	DVD-RW			
	without drive			
Display				
Display type	without display			
Screen resolution	without			
Touch technology	Without touch technology			
Display lighting type	without			
Graphics card	Intel® HD Graphics			
Electrical properties				
Service life of battery	5 years (typical)			
Supply				



2400063

https://www.phoenixcontact.com/pc/products/2400063

	Supply voltage	120 V AC (240 V AC)
	Power supply unit	500 W
	Real-time clock	
i	Realtime clock	Yes (battery-backed)
	Nearline Gook	res (ballery-backed)
Interfaces		
	Interfaces	1x COM (RS-232/422/485)
		2x COM (RS-232)
		4x USB 2.0
		2x USB 3.0
	Monitor output	1x DVI-D
	Network	2x Ethernet (10/100/1000 Mbps), RJ45
	LAN chipset	Intel® I210-AT
		Intel® I217
Dir	mensions	
	Width	482 mm
	Height	88.6 mm
	Depth	429.2 mm
	Note on dimensions	2U 19-inch rack mount
ı	External dimensions	
	Width / Height / Depth	482 mm / 88.6 mm / 429.2 mm
Material specifications		
	Housing material	Steel
Environmental and real-life conditions		
,	Ambient conditions	
	Degree of protection	IP20
	Ambient temperature (operation)	0 °C 55 °C (Configuration options can affect the operating temperature. See user manual for details)
	Ambient temperature (storage/transport)	0 °C 70 °C
	Permissible humidity (operation)	5 % 95 % (non-condensing)
	Permissible humidity (storage/transport)	5 % 95 % (non-condensing)
	Shock	15g in all directions in acc. with IEC 60068-2-27

Mounting

Vibration (operation)

Mounting type	Rack mounting
Holder system	19" rack

DIN EN 60068-2-6



2400063

https://www.phoenixcontact.com/pc/products/2400063

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/pc/products/2400063



EAC

Approval ID: RU C-DE.A*08.B01708



UL Listed

Approval ID: E238705



cUL Listed

Approval ID: E238705



EAC-RoHS

Approval ID: RU*-DE*HB.B.00386/20



cUL Listed

Approval ID: E238705



UL Listed

Approval ID: E238705



2400063

https://www.phoenixcontact.com/pc/products/2400063

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	19200102		
	ECLASS-12.0	19200102		
	ECLASS-13.0	19200102		
ETIM				
	ETIM 9.0	EC001413		
UNSPSC				

43211500



2400063

https://www.phoenixcontact.com/pc/products/2400063

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes		
Exemption	6(a), 6(a)-I, 6(b), 6(b)-II, 6(c), 7(a), 7(c)-I		
China RoHS			
Environment friendly use period (EFUP)	EFUP-10		
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.		
EU REACH SVHC			
REACH candidate substance (CAS No.)	1-Methyl-2-pyrrolidone (NMP)(CAS: 872-50-4)		
	Lead titanium zirconium oxide(CAS: 12626-81-2)		
	Lead(CAS: 7439-92-1)		



2400063

https://www.phoenixcontact.com/pc/products/2400063

Accessories

IPC 3.5 1TB HDD KIT - Memory

2404642

https://www.phoenixcontact.com/pc/products/2404642

1 TB, 3.5" HDD kit with tray for BL Rackmount 2U and 4U industrial PC



IPC 3.5 2TB HDD KIT - Memory

2404643

https://www.phoenixcontact.com/pc/products/2404643

2 TB, 3.5" HDD kit with tray for BL Rackmount 2U and 4U industrial PC





2400063

https://www.phoenixcontact.com/pc/products/2400063

IPC 3.5 4TB HDD KIT - Memory

2404644

https://www.phoenixcontact.com/pc/products/2404644

4 TB, 3.5" HDD kit with tray for BL Rackmount 2U and 4U industrial PC



WIN7 TO WIN10 2016 KIT - ENTRY - Software package

1096118

https://www.phoenixcontact.com/pc/products/1096118



Kit for upgrading specific Windows® 7 operating system to Windows 10 2016 IoT LTSB (Entry) operating system. Kit includes a USB drive and Microsoft® Certificate of Authenticity (CoA) sticker.

Supported IPC platforms for the Windows 10 IoT LTSB 2016 Entry license include: VL2 BPC/PPC 1000, BL BPC/PPC 2000, VL BPC/PPC 2000, VL2 BPC/PPC 2000.



2400063

https://www.phoenixcontact.com/pc/products/2400063

WIN7 TO WIN10 2016 KIT - HIGH - Software package

1096120

https://www.phoenixcontact.com/pc/products/1096120



Kit for upgrading specific Windows® 7 operating system to Windows 10 2016 IoT LTSB (High) operating system. Kit includes a USB drive and Microsoft® Certificate of Authenticity (CoA) sticker.

Supported IPC platforms for the Windows 10 IoT LTSB 2016 High license include: BL BPC/PPC 7000, DL PPC... 7000, VL2 BPC/PPC 9000, and BL RM... with an i7-4770S 3.1 GHz processor (I41 configuration code)

IPC 2U FILTER - Accessories

2403839

https://www.phoenixcontact.com/pc/products/2403839





2400063

https://www.phoenixcontact.com/pc/products/2400063

IPC 3.5 1TB HDD - Memory

2403835

https://www.phoenixcontact.com/pc/products/2403835

1 TB, 3.5" HDD for BL RACKMOUNT 2U and BL RACKMOUNT 4U industrial PC (tray is not included)



IPC 3.5 2TB HDD - Memory

2403836

https://www.phoenixcontact.com/pc/products/2403836

2 TB, 3.5" HDD for BL RACKMOUNT 2U and BL RACKMOUNT 4U industrial PC (tray is not included)





2400063

https://www.phoenixcontact.com/pc/products/2400063

IPC 3.5 4TB HDD - Memory

2403837

https://www.phoenixcontact.com/pc/products/2403837

4 TB, 3.5" HDD for BL RACKMOUNT 2U and BL RACKMOUNT 4U industrial PC (tray is not included)



IPC 3.5/2.5 TRAY - Removable hard drive tray

2403838

https://www.phoenixcontact.com/pc/products/2403838

Tray for BL RACKMOUNT... industrial PCs





https://www.phoenixcontact.com/pc/products/2400063



WIN10 IOT 2019 LTSC USB HIGH - Software package

1141593

https://www.phoenixcontact.com/pc/products/1141593



The WIN10 IOT 2019 LTSC USB HIGH kit will upgrade a Phoenix Contact industrial PC (IPC) from Windows® 7, Windows 10 IOT LTSB 2015, or Windows 10 IOT LTSB 2016 operating system to a Windows 10 IOT LTSC 2019 operating system. These products will only upgrade IPC's manufactured by Phoenix Contact that were sold and configured with one of the Windows operating systems previously mentioned.

Supported IPC platforms for the WIN10 IOT 2019 LTSC USB HIGH license include: DL PPC... 7000, VL2 BPC/PPC 9000, and BL RM... with an i7-4770S 3. 1 GHz processor (I41 configuration code).

WIN10 IOT 2019 LTSC USB VALUE - Software package

1141601

https://www.phoenixcontact.com/pc/products/1141601



The WIN10 IOT 2019 LTSC USB VALUE kit will upgrade a Phoenix Contact industrial PC (IPC) from Windows® 7, Windows 10 IOT LTSB 2015 or Windows 10 IOT LTSB 2016 operating system to a Windows 10 IOT LTSC 2019 operating system. These products will only upgrade IPC's manufactured by Phoenix Contact that were sold and configured with one of the Windows operating systems previously mentioned.

Supported IPC platforms for the WIN10 2019 IOT LTSC USB VALUE license include: BL BPC/PPC 3000, VL BPC/PPC 3000, VL2 BPC/PPC 3000/7000, and BL RM... with an i3-4330TE 2.4 GHz processor (I40 configuration code).

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com