


ME 6,2 TBUS-2 1,5/5-ST-3,81 GY - DIN rail bus connectors

2695439
<https://www.phoenixcontact.com/us/products/2695439>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

DIN rail connector (TBUS), 5-pos., for bridging the supply voltage, can be snapped onto NS 35/..
. DIN rail in accordance with EN 60715



Commercial data

Item number	2695439
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AC08
Product key	ACHACA
Catalog page	Page 108 (C-5-2019)
GTIN	4046356447430
Weight per piece (including packing)	6.112 g
Weight per piece (excluding packing)	6 g
Customs tariff number	85366990
Country of origin	DE

ME 6,2 TBUS-2 1,5/5-ST-3,81 GY - DIN rail bus connectors

2695439
<https://www.phoenixcontact.com/us/products/2695439>

Technical data

Product properties

Product type	DIN rail connector
Product family	TBUS5..2-6,2..

Data management status

Article revision	02
------------------	----

Material specifications

Color (Housing)	gray (RAL 7042)
-----------------	-----------------

Dimensions

Width	19.25 mm
Height	36.3 mm
Length	21.65 mm

ME 6,2 TBUS-2 1,5/5-ST-3,81 GY - DIN rail bus connectors



2695439

<https://www.phoenixcontact.com/us/products/2695439>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2695439>

cUL Recognized Approval ID: FILE E 60425				
	Nominal voltage U_N	Nominal current I_N	Cross section AWG	Cross section mm^2
Use group B				
	150 V	8 A	-	-
Use group D				
	150 V	8 A	-	-

UL Recognized Approval ID: FILE E 60425				
	Nominal voltage U_N	Nominal current I_N	Cross section AWG	Cross section mm^2
Use group B				
	150 V	8 A	-	-
Use group D				
	150 V	8 A	-	-

cULus Recognized				
------------------	--	--	--	--

ME 6,2 TBUS-2 1,5/5-ST-3,81 GY - DIN rail bus connectors



2695439

<https://www.phoenixcontact.com/us/products/2695439>

Classifications

ECLASS

ECLASS-11.0	27460201
ECLASS-12.0	27460201
ECLASS-13.0	27460201

ETIM

ETIM 9.0	EC002637
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

ME 6,2 TBUS-2 1,5/5-ST-3,81 GY - DIN rail bus connectors



2695439
<https://www.phoenixcontact.com/us/products/2695439>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

ME 6,2 TBUS-2 1,5/5-ST-3,81 GY - DIN rail bus connectors



2695439

<https://www.phoenixcontact.com/us/products/2695439>

Accessories

IMC 1,5/ 5-ST-3,81 AU - PCB connector

1943276

<https://www.phoenixcontact.com/us/products/1943276>



PCB connector, nominal cross section: 1.5 mm², color: green, nominal current: 8 A, rated voltage (III/2): 160 V, contact surface: Au, contact connection type: Pin, number of potentials: 5, number of rows: 1, number of positions: 5, number of connections: 5, product range: IMC 1,5/...-ST, pitch: 3.81 mm, connection method: Screw connection with tension sleeve, screw head form: L Slotted, conductor/PCB connection direction: 0 °, plug-in system: COMBICON MC 1,5, locking: without, mounting: without, type of packaging: packed in cardboard

IMC 1,5/ 5-ST-3,81 GY7035 AU - PCB connector

1719707

<https://www.phoenixcontact.com/us/products/1719707>



PCB connector, nominal cross section: 1.5 mm², color: light gray, nominal current: 8 A, rated voltage (III/2): 160 V, contact surface: Au, contact connection type: Pin, number of potentials: 5, number of rows: 1, number of positions: 5, number of connections: 5, product range: IMC 1,5/...-ST, pitch: 3.81 mm, connection method: Screw connection with tension sleeve, screw head form: L Slotted, conductor/PCB connection direction: 0 °, plug-in system: COMBICON MC 1,5, locking: without, mounting: without, type of packaging: packed in cardboard

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com