

https://www.phoenixcontact.com/us/products/2781453



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Electronic housing, for PCB insertion, with 12-pos. Combicon pin strip

Commercial data

Item number	2781453
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AC11
Product key	ACHCCC
Catalog page	Page 728 (C-1-2013)
GTIN	4017918068967
Weight per piece (including packing)	52.07 g
Weight per piece (excluding packing)	45.5 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/2781453



Technical data

Product properties

Product type	Complete housing
Housing type	Complete housing
Housing series	UEG
Product family	UEGM-MSTB
Туре	Connection system integrated, housing closed
Number of positions	12
Туре	Complete housing

Data management status

Article revision	0.4
Afficie revision	1)4

Dimensions

Width	25 mm
Installed height	90.5 mm
Height NS 35/7,5	90.5 mm
Depth	79 mm
Length	79 mm

Material specifications

Color (Housing)	green (RAL 6021)
Flammability rating according to UL 94	V2
Housing material	Polyamide
Surface characteristics	untreated

Environmental and real-life conditions

Ambient conditions


Ambient temperature (operation)	-40 °C 105 °C
---------------------------------	---------------


2781453

https://www.phoenixcontact.com/us/products/2781453



Drawings





https://www.phoenixcontact.com/us/products/2781453



Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2781453



UL RecognizedApproval ID: E240868



2781453

https://www.phoenixcontact.com/us/products/2781453

Classifications

ECLASS

	ECLASS-11.0	27182702
	ECLASS-13.0	27190301
ETIM		
	ETIM 8.0	EC001031
UNSPSC		
	UNSPSC 21.0	31261500



https://www.phoenixcontact.com/us/products/2781453



Environmental product compliance

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



https://www.phoenixcontact.com/us/products/2781453



Accessories

UEGM-MSTB-BS - Filler plug

2781466

https://www.phoenixcontact.com/us/products/2781466

Filler plug, for closing LED cutouts which are not required.



MSTBA 2,5/12-G-5,08 - PCB header

1757349

https://www.phoenixcontact.com/us/products/1757349



PCB headers, nominal cross section: 2.5 mm², color: green, nominal current: 12 A, rated voltage (III/2): 320 V, contact surface: Sn, contact connection type: Pin, number of potentials: 12, number of rows: 1, number of positions: 12, number of connections: 12, product range: MSTBA 2,5/..-G, pitch: 5.08 mm, mounting: Wave soldering, pin layout: Linear pinning, solder pin [P]: 3.23 mm, number of solder pins per potential: 1, plug-in system: COMBICON MSTB 2,5, Pin connector pattern alignment: Standard, locking: without, mounting: without, type of packaging: packed in cardboard

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com